



# 6. EXPLODED VIEW


Note: The numbers in this exploded view are the same as the reference numbers in the Chapter 5.



ASSY-1




Note: Except where indicate otherwise, all screw torque is 9-11kgf-cm in ASSY-MONITOR.








ASSY-3






Clamper	Lead Name
a	SC, Focus
b	AD, 142
c	Anode
d	SC, Focus
e	TILT, DC
M1	A, D
M2	AD, DG
M3	A, J, B
M4	A, D, G, G1
VA	D, G, G1, VM
CB	CLT, CLB, NS






ASSY-MONITOR


ASSY-4



ASSY-5








ASSY-6




ASSY-MONITOR

ASSY-7




ASSY-8




ASSY-MONITOR

Note: Except where indicate otherwise, all screw torque is 3-5kgf-cm in ASSY-PWB-MAIN.








<p>Q503</p> <p>PWB</p> <p>Less than 4mm</p>	<p>RADIATOR</p> <p>D951</p>	<p>TH950</p> <p>18±1</p>
<p>RADIATOR</p> <p>Q951</p> <p>22</p> <p>37</p>	<p>14</p> <p>Q516</p> <p>Q517</p> <p>22 x2</p>	<p>TH950, C956, D969, IC401, Q950, Q951, T501</p> <p>PWB</p>
<p>RADIATOR x2</p> <p>D965, D966</p> <p>6±1</p>	<p>14</p> <p>IC502</p> <p>22 x2</p>	<p>RADIATOR</p> <p>22 x3</p> <p>D967, D968, IC953</p>
<p>RADIATOR</p> <p>Q950</p> <p>22</p> <p>37</p>	<p>RADIATOR</p> <p>IC401</p> <p>22</p> <p>35</p>	<p>D950</p> <p>22</p> <p>13</p>



ASSY-PWB-MAIN



Note: Except where indicate otherwise, all screw torque is 3-5kgf-cm in ASSY-PWB-STAND.



Note: Except where indicate otherwise, all screw torque is 3-5kgf-cm in ASSY-PWB-CORRECTION.



ASSY-PWB-CORRECTION