



# POWER SUPPLY



■ Only for /22  
▲ Only for /37

.....V Voltage measured during operation  
.....V Voltage measured in standby

Temperature NTC (°C)	Value NTC
25°	10k
30°	9k
40°	5k3
50°	3k6
60°	2k5
70°	1k8
80°	1k4
90°	0.9k
100°	0.7k

Heatsink temperature ≤ 60° = Fan OFF  
Heatsink temperature > 60° = Fan ON  
Heatsink temperature ≥ 100° = The set switch to standby

- 0006 A7
- 0008 E7
- 1301 L19
- 1303 D19
- 1304 C5
- 1304 K5
- 1307 I19
- 1309 A19
- 1315 A7
- 1316 G19
- 1317 E7
- 1328 I5
- 1329 I7
- 1350 I10
- 1352 A8
- 1353 D8
- 1354 G8
- 1359 C2
- 1359 K2
- 1360 K4
- 2301 B9
- 2302 B9
- 2303 B10
- 2304 B10
- 2305 C10
- 2306 B15
- 2309 D16
- 2309 D16
- 2311 H10
- 2312 H11
- 2313 I11
- 2314 I11
- 2315 G13
- 2316 H12
- 2317 J16
- 2318 C10
- 2319 G11
- 2320 G12
- 2322 K12
- 2323 K13
- 2357 H18
- 2362 I16
- 3301 I4
- 3303 A14
- 3304 D14
- 3305 C15
- 3306 I12
- 3307 C16
- 3308 D17
- 3309 D17
- 3310 D18
- 3311 E9
- 3312 I10
- 3313 I11
- 3314 H11
- 3316 I11
- 3317 J13
- 3318 K12
- 3344 J10
- 3350 H17
- 3351 H17
- 3374 I18
- 3377 H17
- 3378 H16
- 3379 I15
- 3380 H18
- 3386 I12
- 3398 H13
- 3399 I13
- 3515 G11
- 5001 A6
- 5302 D2
- 5311 C2
- 5311 K2
- 6302 D14
- 6303 B15
- 6304 B16
- 6306 B15
- 6309 B16
- 6311 C16
- 6313 D16
- 6314 C17
- 6315 G8
- 6316 H8
- 6317 G9
- 6318 H9
- 6319 H13
- 6324 K13
- 6339 J15
- 6340 H17
- 6341 H16
- 6344 G12
- 7301 C16
- 7302 G10
- 7303 I10
- 7304 F12
- 7305 J12
- 7306 I13
- 7315 H12
- 7329 H18
- 7330 H15
- 7331 H18
- 9304 E4
- 9305 E4
- 9306 E4
- 9307 F4
- 9317 D9
- 9531 D3
- 9531 K3