

You can search for the updated part code through ITSELF web site.
 URL : http://itself.sec.samsung.co.kr

7. Electrical Parts List

7-1 WS32Z46VSGXXEU

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
ASSY CPT									
	1	AA91-05676A	ASSY CPT;WS32Z68PSGXXEC		4	GTY05	AA60-40014A	PIN-GT,ASSY:AUTO	
	2	AA03-00348A	CRT COLOR;W76ERF042X044,+400MG,0.32MH,7.		4	GTY06	AA60-40014A	PIN-GT,ASSY:AUTO	
	2	AA27-00149A	COIL DEGAUSSING; 15.0MH,70T,90HM,32INCH,		4	GTY07	AA60-40014A	PIN-GT,ASSY:AUTO	
	2	AA39-20519A	LEAD CONNECTOR-ASSY; 6(4)P;500MM,YFH806-		4	GTY08	AA60-40014A	PIN-GT,ASSY:AUTO	
	2	AA98-00026A	ASSY TBC WIRE(P);DP;32INCH,AA98-70012C,2		4	GTY09	AA60-40014A	PIN-GT,ASSY:AUTO	
	2	AA65-30007A	CLAMPER CORE-D,COIL-,NYLON-66,V0,-,NTR,		4	GTY10	AA60-40014A	PIN-GT,ASSY:AUTO	
ASSY CHASSIS									
	1	AA91-06367A	ASSY CHASSIS;WS32Z46VSGXXEU,K55A,EU,PHIL		4	LDY01	0601-000198	LED-ROUND,RED/GRN,5.0mm,630/565nm	
	2	MP+HC	6003-000333	SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW	4	RMY01	AA32-00005A	MODULE REMOCON;VISHAY;10,700-850,-,-,ST	
	2	D-FOCUS	6003-000333	SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW	4	CNY01	AA39-20069D	LEAD CONNECTOR-ASSY;5P;300,YBNH025-05,6	
	2	C-BLOC	6003-000333	SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW	4	DZY01	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
	2	TB+HC	6006-001095	SCREW-ASSY TAPT;WP,BH,+M4,L12,ZPC(YEL)	4	DZY02	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
	2		AA65-30105A	CLAMPER CORE-WIRE;ALL MODEL,NYLON 66,V2,	4	RY01	2001-000020	R-CARBON(S);220HM,5%,1/2W,AA,TP2,4X6,4M	
	2		AA94-07792A	ASSY PCB MISC-DYNAMIC FOCUS;CT-29Z7HR,K5	4	RY03	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
	2		AA94-07792A	ASSY PCB MISC-DYNAMIC FOCUS;CT-29Z7HR,K5	4	RY04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
	3		0202-000008	SOLDER-WIRE;S63S-W3,0,S63S,D3,63Sn/37Pb,	4	JY01	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
	3		0202-000187	SOLDER-WIRE FLUX;-RS60S,D1.2,63Sn/37Pb	4	JY02	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
	3		0204-000442	SOLVENT;1M-1000,C3H7OH,96,-	4	JY04	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	
	3		0204-001024	FLUX;DF-98TVS,-,20%,-	4	PCB	AA41-00520B	PCB-LED;CS32Z4/29Z4,FR-1,1L,B,1.6T,245	
	3	RH28	2008-001113	R-FUSIBLE(S);0.22ohm,10%,2WAG,TP,3.9x12	4	CY01	2401-002291	C-AL;47uf,20%,16V,GPTP6.3x5,5	
	3	CH07	3812-000219	WIRE-NO SHEATH CU;TCWA,300V,52mm(TAPING)	3	SW+H	6001-000057	SCREW-MACHINE;RH,+M3,L6,ZPC(BLK),SWRCH1	
	3	LH01	AA26-90002C	TRANS-DUMMMY;-----,EER2	2	JH701	3722-000143	JACK-PHONE-1P(VER),3.4PI,AG,BLK,NO	
	3	LH02	AA27-40003L	COIL HORIZ. WIDTH;-1.0mh,DR14x20,2UEW0.	3	JA701	3722-001031	JACK-PIN;3P;3.6mm,#18,AU	
	3	WIRE3	AA39-20061C	LEAD CONNECTOR-ASSY;3P;200,YFH800-03,S,	3	JS701	3722-001163	JACK-VHS;4P;12mm,AU,BLK,N	
	3		AA97-07229L	ASSY AUTO-DYNAMIC FOCUS;CT-29Z7HR,K55A	3	CN704	AA39-00070A	LEAD CONNECTOR-ASSY;4P;200MM,YBNH250-04	
	4	PCB	AA41-00152C	PCB-DOUBLE FOCUS;CW29A6VN8X/XEF,FR-1,1L,	3	CN701	AA39-00317B	LEAD CONNECTOR-ASSY;K55A/WT-32Z4HD,UL100	
	4	EY09	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	3	CN703	AA39-20069C	LEAD CONNECTOR-ASSY;5P;400,YBNH025-05,6	
	4	EY08	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	3		AA91-06363A	ASSY MISC-DOOR AV;WS32-28Z46,K55A	
	4	EY07	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4		HA61-00452D	HOLDER-AV;COVER-32Z5,HIPS,HB,GRY	
	4	EY06	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	5		HA83-00006A	LP-RESIN HIPS;BASF495F,NTR,HB	
	4	EY05	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	5		HA83-00011A	LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY	
	4	EY01	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4		HA61-00453D	HOLDER-AV;HOUSING;32Z5,HIPS,HB,GRY	
	4	EY02	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	5		HA83-00006A	LP-RESIN HIPS;BASF495F,NTR,HB	
	4	EY03	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	5		HA83-00011A	LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY	
	4	EY04	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4		AA64-01204E	INLAY-SIDE,AV;32Z4,PS SHEET,TO.3,KS3A PA	
	4	EY10	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4		AA63-10002A	BAND-TIE;NYLON66 V2,L100,NTR	
	4	EY11	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4		6003-001070	SCREW-TAPTITE;BH,+B,M2,L4,ZPC(BLK),SWRC	
	4	EY12	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4		AA61-80002A	DAMPER-GEAR;-DP802,-,-,-,BLU,DP802	
	4	EY13	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4		AA61-60109D	SPRING ETC-DOOR;32W8,SUS304L,-,-,-,-,-	
	4	GTH03	AA60-40014A	PIN-GT,ASSY:AUTO	4		AA61-30001A	LATCH-DOOR;-,-,-,-,-,KIFUCO LA701	
	4	GTH02	AA60-40014A	PIN-GT,ASSY:AUTO	4		HA61-00451E	HOLDER-AV;32Z5,HIPS,HB,GRY	
	4	GTH01	AA60-40014A	PIN-GT,ASSY:AUTO	5		HA83-00006A	LP-RESIN HIPS;BASF495F,NTR,HB	
	4	GTH04	AA60-40014A	PIN-GT,ASSY:AUTO	5		HA83-00011A	LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY	
	2		AA95-01549A	ASSY ETC-PCB POWER SWITCH;-XXZ4,KS3A	3		AA97-14036A	ASSY AUTO-AV;WS32-28Z46,K55A,ALL,SEH,006	
	3	LED+H	6003-000333	SCREW-TAPTITE;RH,+2S,M3,L10,ZPC(YEL),SW	4	DZ702	0403-000708	DIODE-ZENER;MTZJ13B,13V,12.55-13.21V,500	
	3		HA61-00450C	HOLDER-POWER;32Z5,HIPS,HB,GRY	4	DZ703	0403-000708	DIODE-ZENER;MTZJ13B,13V,12.55-13.21V,500	
	3		HA83-00006A	LP-RESIN HIPS;BASF495F,NTR,HB	4	DZ701	0403-000720	DIODE-ZENER;MTZJ9.1B,9.1V,8.57-9.01V,500	
	3		HA83-00012A	LP-RESIN;M BATCH,WILSON 6053-GY-60,GRY	4	R701	2001-000028	R-CARBON(S);1000HM,5%,1/2W,AA,TP2,4X6,4	
	3		AA95-01547A	ASSY ETC-PCB SUB POWER;-28-32Z4,KS3A-4A	4	R702	2001-000028	R-CARBON(S);1000HM,5%,1/2W,AA,TP2,4X6,4	
	3		3403-001134	SWITCH-PUSH;250V,5A,DPST,ON-OFF,-	4	C701	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
	3		AA39-20179F	LEAD CONNECTOR-ASSY;3(2)P;400MM,YFH800-	4	C702	2202-000121	C-CERAMIC,MLC-AXIAL;100pF,10%,50V,Y5P,TP	
	4	PCB	AA41-00521A	PCB-MASTER S/W;CS32Z4,FR-1,1L,A,1.6T,245	4	C707	2202-000231	C-CERAMIC,MLC-AXIAL;0.33nF,10%,50V,Y5P,T	
	4	EL01	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4	C708	2202-000231	C-CERAMIC,MLC-AXIAL;0.33nF,10%,50V,Y5P,T	
	4	EL02	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4	L701	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
	4	EL03	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4	L702	2701-000114	INDUCTOR-AXIAL;10uH,10%,2.5x3.4mm	
	4	EL04	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4	L705	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	
	4		6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	4	L706	2701-000168	INDUCTOR-AXIAL;3.3uH,5%,2.5x3.4mm	

Electrical Parts List

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
4	L707	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G		△	4	NT802S	1404-001045	THERMISTOR-NTC:4.7ohm,15%,2900K,35.0mW,T
4	L708	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G		△	4	CY802S	2201-000446	C-CERAMIC,DISC:3.3NF,20%,400V,Y5U,BK,15X
4	J701	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)		4	C426	2306-001004	C-FILM,MPPF:300NF,5%,400V,BK,26X14X21MM,	
4	PCB	AA41-00616B	PCB-A/V SIDE(Z4):CT-29Z4HRH-FR-1,1L,B,1.		4	C423	2306-000272	C-FILM,MPPF:820NF,5%,400V,BK,29X25.5X18.	
2		AA94-13009A	ASSY PCB MAIN:WS32Z4-M66VK55A,ALL,SEH,0		△	4	CR405S	2301-001343	C-FILM,MPPF:3.9NF,5%,2KV,BK,29X9.5X16MM,
3	Q402	0505-001116	FET-SILICON:BUZ73A,N,200V,22A,0.6ohm,40W		△	4	CR407S	2301-001398	C-FILM,MPPF:3.3NF,5%,2KV,BK,29X8.5X1.5MM,
3	C806	2306-000112	C-FILM,MPPF:100nF,20%,250V,BK,-,15mm		△	4	CR406S	2306-000326	C-FILM,MPPF:4.7NF,5%,1.6KV,BK,28.5X16X9M
3	C820	2401-003419	C-AL:220uF,20%,50V,WVT,TP16X35.5mm		△	4	CX801S	2306-000318	C-FILM,MPPF:220NF,20%,250V,BK,-,22.5
△	RL801S	3501-001053	RELAY-POWER:5VDC,530MMV,10000MA,1FORMA,15		4	C803	2401-002227	C-AL:330uF,20%,450V,GPB,35x45,10	
3	CN702	3711-003974	CONNECTOR-HEADER:BOX,12P,1R,2.5mm,STRAIG		4	C815	2401-003024	C-AL:220uF,20%,200V,WVT,TP22x35,10	
3	JA702	3722-001425	JACK-PIN:2P,3.4mm,NL,BLK,-		4	CN902	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGH	
3	JA701	3722-001884	JACK-SCART:42P,-,SNPB,BLK,-		4	CN502	3711-003051	CONNECTOR-HEADER:BOX,8P,1R,2.5MM,STRAIGH	
3	C-BLOCK	AA26-00069A	TRANS FBT-C BLOCK:FUJ-29C002C(S),DREAM3,		△	4	LR405S	AA27-00096A	COIL HORIZ. WIDTH:-,10.0mH,DR15 X 27.5,U
△	T801S	AA26-00178A	TRANS SWITCHING:EER5345,K55A,PAL,CIS,160		4	L808	AA27-00098A	COIL CHOKE:-,24uH,10%,-.0.1.3.OA,DR10X	
△	T444S	AA26-00187A	TRANS FBT:FUJ34H003F,CPTTV,2.3MH,FERRITE		△	4	LX801S	AA29-30002N	FILTER LINE NOISE:-,16MH,1.5A,AC100-260V
△	T401	AA26-50001S	TRANS-HORIZ.DRIVE:-,6.0mH,-,44uH,-		△	4	TU01S	AA40-00079A	TUNER:TCPW3001PD16A(S),PAL,181CH,38
△	LR404S	AA27-00031A	COIL HORIZ. WIDTH:-,140UH,AR 8X20,0.8MM,		4		AA97-14027A	ASSY AUTO-MAIN:WS32Z4-M66VK55A,ALL,SEH,	
△	PFC01S	AA27-00269A	COIL CHOKE-PFC:35MH,CPTTV,35MH,10%,2.00H		5	D603	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
△	LR402S	AA27-10004F	COIL CHOKE:-,56uH,K,-,2.5A,BK,-,DR12x15,		5	D604	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
△	LR403S	AA27-00015A	COIL LINEARITY:-,7.3UH,L81 DR15X18,-,B		△	5	D805	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,
△	CN702A	AA39-00114C	LEAD CONNECTOR-ASSY,12P500MM,35155-120		5	DZ402	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
△	GT804S	AA39-20010C	LEAD CONNECTOR-ASSY,1P,600,YFH800-01,S,		5	D201	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
3	BOT	AA39-205363	LEAD CONNECTOR-ASSY,1P,60MM,FF,1617#22		5	D202	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
3	BOT	AA39-205366	LEAD CONNECTOR-ASSY,1P,60MM,FF,1617#22		5	D207	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
3	BOT	AA39-205366	LEAD CONNECTOR-ASSY,1P,60MM,FF,1617#22		5	D405	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
3		AA95-03188A	ASSY SUB PCB-PCB,FEATURE BOX:DPK55A,PAL		5	D410	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	
3	IC805	AA96-00243K	ASSY H/S:-,REGULATOR,AA62-000450A,KA78R		5	D907	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		△	5	D808	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP
4		1203-001006	IC-VOLTAGE REGULATOR:78R05,TO-220F,4P,-		5	D607	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	
4		6003-000334	SCREW-TAPTITE:RH,+,2S,M3,L6,ZPC(YEL),SWR		5	D406	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	
4		AA62-00065A	HEAT SINK-PS:DP,-,AA62-00045A,-,-,-		5	D403	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	
3	HC401	AA96-00275L	ASSY H/S:SCREW,SILICON-OIL,AA62-00051B,		5	D409	0402-000493	DIODE-RECTIFIER:1RSU41,400V,1.5A,DO-15L	
4	CIS	0205-000129	GREASE-SILICON:SC102,JAPAN		5	D411	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	
4	CIS	0402-001296	DIODE-RECTIFIER:FMP-3FU,1.5KV,5A,TO-3PF,		5	D408	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	
4	CIS	0502-001230	TR-POWER:FJL6920YDTU,N,20000MMW,TO-264		5	D404	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	
4	CIS	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW		5	D402	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	
4	CIS	6003-000334	SCREW-TAPTITE:RH,+,2S,M3,L6,ZPC(YEL),SWR		5	D401	0402-000540	DIODE-RECTIFIER:RU20A,600V,1.5A,-,TP	
4	CIS	AA60-30001A	WASHER-PLATE:M3,JD3.5,15X8.5,T1.0,SBHG		△	5	D816	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T
4	CIS	AA62-00067B	HEAT SINK-PS:-,DP,-,AA62-00051B,-		△	5	D804	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T
4	CIS	AA62-00092A	HEAT SINK:STB,A6063 EXTR.,T1.3,28*28,H12		△	5	D803	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T
△	D801S	AA96-00276C	ASSY H/S:-,BRIDGE,AA62-00052A,GSI660,		5	D301	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		5	DZ908	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		0402-001399	DIODE-BRIDGE:GSI660,600V6A,SIP-4,BK		5	DZ907	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW		5	DZ906	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		AA60-30003A	WASHER:T1.5,SBHG-1		5	DZ903	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		AA62-00052A	HEAT SINK-PS:-,SILVER,HOLE 18.5mm, 2		5	DZ909	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
3	HC801	AA96-00475A	ASSY H/S:-,REGULATOR,AA62-00066B,FML-G1		5	DZ910	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		5	DZ911	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		0402-000233	DIODE-RECTIFIER:FML-G12S,200V,5A,-		5	DZ912	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		0402-001230	DIODE-RECTIFIER:FMG-G2CS,1000V,3A,TO-220		5	DZ404	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		1203-001006	IC-VOLTAGE REGULATOR:78R05,TO-220F,4P,-		5	DZ601	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		6003-000334	SCREW-TAPTITE:RH,+,2S,M3,L6,ZPC(YEL),SWR		5	DZ603	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		AA62-00066B	HEAT SINK:D2,D3,AL.,T1.0,89,70,-,AA62-00		5	DZ604	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
3	IC602	AA96-50369D	ASSY H/S:-,SOUND,AA62-30181F,TDAT7269,HE		5	DZ902	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		5	DZ808	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		1201-001385	IC-POWER AMP:7269A,ZIP,11,19.6,DUAL,13,P		5	DZ606	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW		5	DZ605	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		AA62-30181F	HEAT SINK-ES:-,AL6063 EXTR.,2,WHT,50MM,-		5	DZ913	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
△	IC801S	AA96-50371H	ASSY H/S:-,SMP,AA62-30181H,501565RF,HE		5	DZ914	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		5	DZ306	0403-000700	DIODE-ZENER:TZP33A,33V,31-35V,1W,DO-41,T	
4		1203-002512	IC-PWM CONTROLLER:KA501565RF-YDTU,TO-3PF		5	DZ804	0403-000700	DIODE-ZENER:TZP33A,33V,31-35V,1W,DO-41,T	
4		6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW		5	DZ802	0403-000716	DIODE-ZENER:MTZJ4.7B,4.7V,4.55-4.8V,500m	
4		AA61-11028A	BRACKET:-,SECC,T1.0,-,-,-		5	DZ307	0403-001330	DIODE-ZENER:MTZJ30A,26.99-28.39V,500mW,D	
4		AA62-30197D	HEAT SINK-ES:DP,-,AA62-30181H,-,-,-		5	DZ304	0403-001221	DIODE-ZENER:UZ39BSB,35.36-37.19V,500mW,D	
3	IC301	AA96-50381A	ASSY H/S:-,AA62-30180B,LA7845,-		5	DZ806	0403-001317	DIODE-ZENER:MTZJ3.0B,3.01-3.22V,500mW,DO	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		5	DZ801	0403-001322	DIODE-ZENER:MTZJ8.2B,7.78-8.19V,500mW,DO	
4		1204-000517	IC-VERTICAL DEF:LA7845,SIP,7P,-,PLASTIC		5	DZ602	0403-001322	DIODE-ZENER:MTZJ8.2B,7.78-8.19V,500mW,DO	
4		6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW		5	DZ401	0403-001325	DIODE-ZENER:MTZJ15C,14.35-15.09V,500mW,D	
4		AA62-30180B	HEAT SINK-ES:-,A6063 EXTR.,2,WHT,70MM,-		5	DZ803	0403-001327	DIODE-ZENER:MTZJ18A,16.22-17.06V,500mW,D	
3		AA97-14043A	ASSY ROBOT-MAIN:WS32Z4-M66VK55A,ALL,SEH		5	DZ608	0403-001328	DIODE-ZENER:MTZJ22A,20.15-21.20V,500mW,D	
△	PC801S	0604-001038	PHOTO-COUPLER:TR,130-260%,200mW,DIP-4,ST		5	DZ607	0403-001328	DIODE-ZENER:MTZJ22A,20.15-21.20V,500mW,D	
△	IC902	1103-001171	IC-EEPROM:L51DC,16KBit,DIP,8P,300MIL,10m		5	DZ305	0403-001329	DIODE-ZENER:MTZJ24B,22.61-23.77V,500mW,D	
△	IC401	1202-000103	IC-VOLTAGE COMP:393,DIP,8P,300MIL,DUAL		5	DZ303	0403-001329	DIODE-ZENER:MTZJ24B,22.61-23.77V,500mW,D	
4	IC803	1203-001225	IC-POSIFIXED REG:-,78R09,TO-220,4P,-,PLA		5	DZ302	0403-001329	DIODE-ZENER:MTZJ24B,22.61-23.77V,500mW,D	
4	IC601	1204-001971	IC-SOUND PROCESSOR:MSP3411G-P0-B1,DIP,5		5	DZ807	0403-001330	DIODE-ZENER:MTZJ30A,26.99-28.39V,500mW,D	
△	PT801S	1404-001026	THERMISTOR-PTC:70HM,20%,-.290VAC,25A,-,B		5	D904	0404-000156	DIODE-SCHOTTKY:R84410,10V,100mA,DO-34,TP	

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
5	D903	0404-000156	DIODE-SCHOTTKYRB441Q,10V,100mA,DO-34,TP		5	R974	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	D902	0404-000156	DIODE-SCHOTTKYRB441Q,10V,100mA,DO-34,TP		5	R601	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	D901	0404-000156	DIODE-SCHOTTKYRB441Q,10V,100mA,DO-34,TP		5	R602	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q802	0501-000369	TR-SMALL SIGNAL:KSC2331-Y,NPN,100mW,TO-		5	R603	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q907	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R816	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q908	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R817	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q912	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R967	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q913	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R924	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q906	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R833	2001-000449	R-CARBON:2.2KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	Q601	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R984	2001-000515	R-CARBON:220OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q603	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R983	2001-000515	R-CARBON:220OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q801	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R982	2001-000515	R-CARBON:220OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q803	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R981	2001-000515	R-CARBON:220OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q901	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R953	2001-000522	R-CARBON:22KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q806	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		5	R937	2001-000522	R-CARBON:22KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q910	0505-000109	FET-SILICON:2N7000,N,60V,200mA,5ohm,400m		5	R823	2001-000522	R-CARBON:22KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	Q909	0505-000109	FET-SILICON:2N7000,N,60V,200mA,5ohm,400m		5	R629	2001-000522	R-CARBON:22KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	IC804	1203-001217	IC-POS:ADJUST REG.:431,TO-92,3P4,58MIL		5	R958	2001-000613	R-CARBON:3.9KOHM,5%,1/8W,AA,TP1.8X3.2M	
△	VX801S	1405-000187	VARISTOR:750V,1250A,12.5x7mm,TP		5	R952	2001-000613	R-CARBON:3.9KOHM,5%,1/8W,AA,TP1.8X3.2M	
△	VP801S	1405-000187	VARISTOR:750V,1250A,12.5x7mm,TP		5	R946	2001-000613	R-CARBON:3.9KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R303	2001-000016	R-CARBON(S):10HM,5%,1/2W,AA,TP2.4X6.4MM		5	R945	2001-000613	R-CARBON:3.9KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R801	2001-000019	R-CARBON(S):10OHM,5%,1/2W,AA,TP2.4X6.4M		5	R911	2001-000628	R-CARBON:300OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R317	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP2.4X6.4		5	R961	2001-000660	R-CARBON:33KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R636	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP2.4X6.4		5	R633	2001-000660	R-CARBON:33KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R637	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP2.4X6.4		5	R623	2001-000660	R-CARBON:33KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R638	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP2.4X6.4		5	R718	2001-000702	R-CARBON:39KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R639	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP2.4X6.4		5	R717	2001-000702	R-CARBON:39KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R810	2001-000109	R-CARBON(S):470OHM,5%,1/2W,AA,TP2.4X6.4		5	R105	2001-000702	R-CARBON:39KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R624	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP1.8X3.2M		5	R927	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R824	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP1.8X3.2M		5	R928	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R822	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP1.8X3.2M		5	R938	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R631	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP1.8X3.2M		5	R966	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R942	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R988	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R941	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R921	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R940	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R842	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R917	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R901	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R916	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R903	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R915	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R909	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R947	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R905	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R968	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R904	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R962	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R939	2001-000734	R-CARBON:4.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R955	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R809	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R954	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R812	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R951	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R813	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R948	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R910	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R723	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R919	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R203	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R920	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R103	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R607	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R102	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R608	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R204	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R609	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R613	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R614	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R612	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R615	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R611	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R616	2001-000780	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R604	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R960	2001-000786	R-CARBON:470OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R605	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R926	2001-000793	R-CARBON:470HM,5%,1/8W,AA,TP1.8X3.2MM	
5	R610	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R841	2001-000812	R-CARBON:5.6KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R925	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM		5	R106	2001-000864	R-CARBON:56KOHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R716	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R923	2001-000924	R-CARBON:680OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R906	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R922	2001-000924	R-CARBON:680OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R908	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R101	2001-000938	R-CARBON:680HM,5%,1/8W,AA,TP1.8X3.2MM	
5	R912	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R913	2001-000947	R-CARBON:7.5KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R935	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R704	2001-000969	R-CARBON:75OHM,5%,1/8W,AA,TP1.8X3.2MM	
5	R973	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R618	2001-001015	R-CARBON:9.1KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R309	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R617	2001-001015	R-CARBON:9.1KOHM,5%,1/8W,AA,TP1.8X3.2M	
5	R310	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R838	2001-001050	R-CARBON(S):1.5KOHM,5%,1/2W,AA,TP2.4X6.4M	
5	R606	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R627	2001-001088	R-CARBON(S):1KOHM,5%,1/2W,AA,TP2.4X6.4M	
5	R628	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R626	2001-001088	R-CARBON(S):1KOHM,5%,1/2W,AA,TP2.4X6.4M	
5	R630	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R421	2001-001088	R-CARBON(S):1KOHM,5%,1/2W,AA,TP2.4X6.4M	
5	R632	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R419	2001-001088	R-CARBON(S):1KOHM,5%,1/2W,AA,TP2.4X6.4M	
5	R715	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R820	2001-001096	R-CARBON(S):2.2OHM,5%,1/2W,AA,TP2.4X6.4	
5	R710	2001-001087	R-CARBON(S):180HM,5%,1/2W,AA,TP2.4X6.4M		5	R807	2001-001103	R-CARBON(S):20KOHM,5%,1/2W,AA,TP2.4X6.4	
5	R709	2001-001087	R-CARBON(S):180HM,5%,1/2W,AA,TP2.4X6.4M		5	R314	2001-001117	R-CARBON(S):2KOHM,5%,1/2W,AA,TP2.4X6.4M	
5	R902	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R315	2001-001117	R-CARBON(S):2KOHM,5%,1/2W,AA,TP2.4X6.4M	
5	R914	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R316	2001-001129	R-CARBON(S):33KOHM,5%,1/2W,AA,TP2.4X6.4	
5	R936	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R818	2001-001131	R-CARBON(S):33KOHM,5%,1/2W,AA,TP2.4X6.4	
5	R963	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R634	2001-001146	R-CARBON(S):4.7OHM,5%,1/2W,AA,TP2.4X6.4	
5	R972	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM		5	R635	2001-001146	R-CARBON(S):4.7OHM,5%,1/2W,AA,TP2.4X6.4	

Electrical Parts List

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
5	R806	2001-001150	R-CARBON(S):470KOHM,5%,1/2W,AA,TP2.4X6.		5	C701	2202-000243	C-CERAMIC,MLC-AXIAL:33pF,5%,50V,SL,TP3.	
5	R805	2001-001150	R-CARBON(S):470KOHM,5%,1/2W,AA,TP2.4X6.		5	C647	2202-000286	C-CERAMIC,MLC-AXIAL:56pF,5%,50V,SL,TP1.	
5	R811	2001-001155	R-CARBON(S):5.6KOHM,5%,1/2W,AA,TP2.4X6.		5	C924	2202-000632	C-CERAMIC,MLC-AXIAL:100nF,20%,50V,Z5U,TP	
5	R301	2001-001163	R-CARBON(S):560OHM,5%,1/2W,AA,TP2.4X6.4		5	C906	2202-000791	C-CERAMIC,MLC-AXIAL:150pF,10%,50V,Y5P,TP	
5	R432	2001-001164	R-CARBON(S):56KOHM,5%,1/2W,AA,TP2.4X6.4		5	C905	2202-000796	C-CERAMIC,MLC-AXIAL:1NF,10%,50V,Y5P,TP3	
5	R808	2001-001197	R-CARBON(S):910OHM,5%,1/2W,AA,TP2.4X6.4		5	C615	2202-000796	C-CERAMIC,MLC-AXIAL:1NF,10%,50V,Y5P,TP3	
△	RX801S	2002-001011	R-COMPOSITION:3.3Mohm,5%,1/2W,AA,TP3.7x		5	C608	2202-000796	C-CERAMIC,MLC-AXIAL:1NF,10%,50V,Y5P,TP3	
△	RY801S	2002-001012	R-COMPOSITION:8.2Mohm,5%,1/2W,AA,TP3.7x		5	C607	2202-000796	C-CERAMIC,MLC-AXIAL:1NF,10%,50V,Y5P,TP3	
5	R433	2003-000540	R-METAL OXIDE(S):1Kohm,5%,2W,AF,TP4x12m		5	C606	2202-000796	C-CERAMIC,MLC-AXIAL:1NF,10%,50V,Y5P,TP3	
5	R426	2003-000540	R-METAL OXIDE(S):1Kohm,5%,2W,AF,TP4x12m		5	C921	2202-000632	C-CERAMIC,MLC-AXIAL:100nF,20%,50V,Z5U,TP	
5	R802	2003-000586	R-METAL OXIDE(S):22Kohm,5%,2W,AF,TP4x12		5	C919	2202-000632	C-CERAMIC,MLC-AXIAL:100nF,20%,50V,Z5U,TP	
5	R803	2003-000586	R-METAL OXIDE(S):22Kohm,5%,2W,AF,TP4x12		5	C901	2202-000632	C-CERAMIC,MLC-AXIAL:100nF,20%,50V,Z5U,TP	
5	R804	2003-000586	R-METAL OXIDE(S):22Kohm,5%,2W,AF,TP4x12		5	C116	2202-000632	C-CERAMIC,MLC-AXIAL:100nF,20%,50V,Z5U,TP	
5	R412	2003-000592	R-METAL OXIDE(S):22ohm,5%,2W,AF,TP4x12m		5	C649	2301-000108	C-FILM,PEF:1.5nF,5%,50V,TP6.5x3.0x5.5mm	
5	R409	2003-000998	R-METAL OXIDE:300ohm,5%,2W,AF,TP3.9x10m		5	C306	2301-000160	C-FILM,PEF:12nF,5%,50V,TP11.0x6.0x9.0mm	
5	R410	2003-000998	R-METAL OXIDE:300ohm,5%,2W,AF,TP3.9x10m		5	C902	2301-000192	C-FILM,PEF:1nF,5%,50V,TP5.3x10mm,5mm	
5	R416	2003-001025	R-METAL OXIDE(S):15Kohm,5%,2W,AF,TP3.9x		5	C614	2301-000192	C-FILM,PEF:1nF,5%,50V,TP5.3x10mm,5mm	
5	R402	2003-001025	R-METAL OXIDE(S):15Kohm,5%,2W,AF,TP3.9x		5	C611	2301-000192	C-FILM,PEF:1nF,5%,50V,TP5.3x10mm,5mm	
5	R401	2003-001025	R-METAL OXIDE(S):15Kohm,5%,2W,AF,TP3.9x		5	C411	2301-000192	C-FILM,PEF:1nF,5%,50V,TP5.3x10mm,5mm	
5	R435	2003-001042	R-METAL OXIDE(S):5.6Kohm,5%,2W,AF,TP3.9		5	C432	2301-000192	C-FILM,PEF:1nF,5%,50V,TP5.3x10mm,5mm	
5	R434	2003-002064	R-METAL OXIDE:7.5ohm,5%,2W,AF,TP10x3.9m		5	C610	2301-000192	C-FILM,PEF:1nF,5%,50V,TP5.3x10mm,5mm	
5	R403	2003-002064	R-METAL OXIDE:7.5ohm,5%,2W,AF,TP10x3.9m		5	C802	2301-000204	C-FILM,PEF:2.7nF,5%,50V,TP7.4x3.9x13mm,	
5	R830	2003-002157	R-METAL OXIDE:220OHM,5%,2W,AG,TP6x16MM		5	C420	2301-000213	C-FILM,PEF:220nF,5%,250V,TP21.5x11.7,5	
5	R835	2003-002181	R-METAL OXIDE(S):68Kohm,5%,2W,AG,TP3.9x		5	C821	2301-000224	C-FILM,PEF:22nF,5%,50V,TP7.4x3.9x13mm,5	
5	R302	2004-001369	R-METAL(S):1.2Kohm,1%,1/2W,AA,TP2.4x6.4		5	C809	2301-000224	C-FILM,PEF:22nF,5%,50V,TP7.4x3.9x13mm,5	
5	R308	2004-001369	R-METAL(S):1.2Kohm,1%,1/2W,AA,TP2.4x6.4		5	C412	2301-000383	C-FILM,PEF:10nF,5%,50V,TP6x7x3.2mm,5mm	
△	RR430S	2004-001390	R-METAL(S):1Kohm,2%,1/2W,AA,TP2.4x6.4mm		5	C909	2301-000383	C-FILM,PEF:10nF,5%,50V,TP6x7x3.2mm,5mm	
5	R420	2004-001397	R-METAL(S):4.7Kohm,1%,1/2W,AA,TP2.4x6.4		5	C408	2301-001143	C-FILM,PPF:56nF,5%,400V,TP20x10x17.7,5	
5	R440	2004-001893	R-METAL(S):2Kohm,1%,1/2W,AA,TP2.5x6.5mm		5	C425	2301-001259	C-FILM,MPEF:100nF,5%,400V,TP19x8x16.7,5	
5	R819	2004-001983	R-METAL(S):2.49Kohm,1%,1/2W,AA,TP2.4x6.		5	C807	2303-000163	C-FILM,PPF:2.2nF,5%,800V,TP15x13x8.5,7.	
5	R423	2004-001983	R-METAL(S):2.49Kohm,1%,1/2W,AA,TP2.4x6.		5	C406	2303-000163	C-FILM,PPF:2.2nF,5%,800V,TP15x13x8.5,7.	
5	R428	2004-001983	R-METAL(S):2.49Kohm,1%,1/2W,AA,TP2.4x6.		5	C409	2303-001001	C-FILM,PPF:22nF,5%,630V,TP18x14.5x8.5mm	
5	R821	2004-002015	R-METAL(S):140Kohm,1%,1/2W,AA,TP2.4x6.4		5	C305	2305-000149	C-FILM,MPEF:100nF,5%,100V,TP12x12.5x6.5	
5	R430	2004-002016	R-METAL(S):15Kohm,1%,1/2W,AA,TP2.5x6.5m		5	C304	2305-000285	C-FILM,MPEF:220nF,5%,100V,TP10.5X5.5X15	
5	R431	2004-002016	R-METAL(S):15Kohm,1%,1/2W,AA,TP2.5x6.5m		5	C308	2305-000412	C-FILM,MPEF:470nF,5%,63V,TP-.5mm	
5	R422	2008-000251	R-FUSIBLE(S):0.27ohm,5%,2W,AF,TP3.9x10m		5	C831	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R414	2008-000253	R-FUSIBLE(S):0.47ohm,5%,1W,AF,TP3.9x10m		5	C825	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R827	2008-000284	R-FUSIBLE(S):0.10HM,10%,2W,AF,TP3.9X10M		5	C812	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R815	2008-000284	R-FUSIBLE(S):0.10HM,10%,2W,AF,TP3.9X10M		5	C659	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R405	2008-001011	R-FUSIBLE(S):0.18ohm,10%,2W,AF,TP3.9x10		5	C658	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R413	2008-001018	R-FUSIBLE(S):0.47ohm,10%,2W,AF,TP3.9x10		5	C651	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R304	2008-001087	R-FUSIBLE(S):1.8ohm,5%,2W,AG,TP3.9x12mm		5	C836	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R828	2008-001088	R-FUSIBLE(S):1ohm,5%,2W,AG,TP3.9x12mm		5	C925	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R425	2008-001109	R-FUSIBLE(S):0.18ohm,10%,2W,AG,TP3.9x12		5	C923	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R424	2008-001109	R-FUSIBLE(S):0.18ohm,10%,2W,AG,TP3.9x12		5	C922	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	R829	2008-001148	R-FUSIBLE:3.3OHM,5%,1W,AG,TP3.9X12MM		5	C844	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C657	2201-000304	C-CERAMIC,DISC:0.001NF,0.25PF,50V,COG,TP		5	C843	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C656	2201-000304	C-CERAMIC,DISC:0.001NF,0.25PF,50V,COG,TP		5	C837	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C805	2201-000332	C-CERAMIC,DISC:2.2NF,20%,250V,Y5U,TP9X4		5	C201	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C804	2201-000332	C-CERAMIC,DISC:2.2NF,20%,250V,Y5U,TP9X4		5	C105	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C632	2201-000370	C-CERAMIC,DISC:0.22NF,10%,50V,Y5P,TP4X3		5	C103	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C828	2201-000374	C-CERAMIC,DISC:0.22NF,5%,50V,COG,TP10.5		5	C101	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C421	2201-000556	C-CERAMIC,DISC:0.47NF,10%,500V,Y5P,TP5.		5	C206	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C403	2201-000556	C-CERAMIC,DISC:0.47NF,10%,500V,Y5P,TP5.		5	C646	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C401	2201-000556	C-CERAMIC,DISC:0.47NF,10%,500V,Y5P,TP5.		5	C635	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C601	2201-000558	C-CERAMIC,DISC:0.47NF,10%,50V,Y5P,TP5X3		5	C605	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C822	2201-000599	C-CERAMIC,DISC:0.56NF,10%,500V,Y5P,TP5.		5	C240	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C819	2201-000599	C-CERAMIC,DISC:0.56NF,10%,500V,Y5P,TP5.		5	C416	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C817	2201-000599	C-CERAMIC,DISC:0.56NF,10%,500V,Y5P,TP5.		5	C417	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C303	2201-000599	C-CERAMIC,DISC:0.56NF,10%,500V,Y5P,TP5.		5	C914	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C654	2201-000611	C-CERAMIC,DISC:0.056NF,5%,50V,COG,TP7X3		5	C916	2305-000665	C-FILM,MPEF:100nF,5%,63V,TP7.5x4.0x5.0m	
5	C830	2201-000639	C-CERAMIC,DISC:0.68NF,10%,2KV,Y5P,TP9X5		5	C628	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C814	2201-002028	C-CERAMIC,DISC:0.47NF,10%,2KV,Y5P,TP7.5		5	C640	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C110	2202-000121	C-CERAMIC,MLC-AXIAL:100pF,10%,50V,Y5P,TP		5	C641	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C109	2202-000121	C-CERAMIC,MLC-AXIAL:100pF,10%,50V,Y5P,TP		5	C643	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C927	2202-000127	C-CERAMIC,MLC-AXIAL:10nF,+80-20%,25V,Y5V		5	C912	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C636	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C626	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C637	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C619	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C638	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C620	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C639	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C621	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C642	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C622	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C623	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C625	2401-002075	C-AL:4.7uF,20%,50V,GP,TP5x11.5	
5	C624	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C816	2401-000262	C-AL:100uF,20%,160V,HR,TP,16x25,7,5	
5	C627	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C801	2401-000287	C-AL:100uF,20%,16V,WT,TP6.3x11,5	
5	C629	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C634	2401-000302	C-AL:100uF,20%,25V,GP,TP6.3x11,5	
5	C633	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T		5	C307	2401-000365	C-AL:100uF,20%,50V,WT,TP10x12.5mm,	

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
5	C302	2401-000365	C-AL:100uF,20%,50V,WT,TP,10x12.5mm,		5	L203	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-	
5	C904	2401-000480	C-AL:10uF,20%,50V,GP,TP5x11,5		5	L409	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-	
5	C106	2401-000480	C-AL:10uF,20%,50V,GP,TP5x11,5		5	L807	2901-000299	FILTER-EMI ON BOARD:-,6A,UL/CSA,-,9x7,5,	
5	C918	2401-000493	C-AL:10uF,20%,50V,LZ,TP5x11mm,5mm		5	L410	2901-000299	FILTER-EMI ON BOARD:-,6A,UL/CSA,-,9x7,5,	
5	C832	2401-000493	C-AL:10uF,20%,50V,LZ,TP5x11mm,5mm		5	L402	2901-000299	FILTER-EMI ON BOARD:-,6A,UL/CSA,-,9x7,5,	
5	C413	2401-000493	C-AL:10uF,20%,50V,LZ,TP5x11mm,5mm		5	L809	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	
5	C612	2401-000603	C-AL:1uF,20%,50V,GP,TP5X11,2		5	L805	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	
5	C604	2401-000603	C-AL:1uF,20%,50V,GP,TP5X11,2		5	L404	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	
5	C841	2401-000611	C-AL:1uF,20%,50V,WT,TP5x11,5		5	L610	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	
5	C613	2401-000611	C-AL:1uF,20%,50V,WT,TP5x11,5		5	L614	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	
5	C818	2401-000722	C-AL:2200uF,20%,25V,WT,TP16x25,7,5		5	L806	3301-001223	BEAD-AXIAL:AA,62ohm,3.5x0.8x5mm,-,TPHF3	
5	C835	2401-000722	C-AL:2200uF,20%,25V,WT,TP16x25,7,5		5	L803	3301-001223	BEAD-AXIAL:AA,62ohm,3.5x0.8x5mm,-,TPHF3	
5	C810	2401-000832	C-AL:220uF,20%,25V,GP,TP8x11,5,5		5	L802	3301-001223	BEAD-AXIAL:AA,62ohm,3.5x0.8x5mm,-,TPHF3	
5	C650	2401-000832	C-AL:220uF,20%,25V,GP,TP8x11,5,5		5	L801	3301-001223	BEAD-AXIAL:AA,62ohm,3.5x0.8x5mm,-,TPHF3	
5	C602	2401-001026	C-AL:3.3uF,20%,50V,GP,TP5X11,5		5	L616	3301-001223	BEAD-AXIAL:AA,62ohm,3.5x0.8x5mm,-,TPHF3	
5	C655	2401-001026	C-AL:3.3uF,20%,50V,GP,TP5X11,5		△	FAB01S	3601-000120	FUSE-AXIAL LEAD:125V/2.5A,FAST-ACTING,GL	
5	C402	2401-001397	C-AL:470uF,20%,25V,GP,TP10x16,5		△	FAB02S	3601-001086	FUSE-AXIAL LEAD:125V/5A,FAST-ACTING,GLAS	
5	C840	2401-001513	C-AL:47uF,20%,16V,WT,TP5x11,5		△	FAB03S	3601-001228	FUSE-AXIAL LEAD:125V/10A,FAST-ACTING,EPO	
5	C838	2401-001513	C-AL:47uF,20%,16V,WT,TP5x11,5		5	F801A	3602-000114	FUSE-HOLDER:-,30mohm	
5	C824	2401-001513	C-AL:47uF,20%,16V,WT,TP5x11,5		5	F801B	3602-000114	FUSE-HOLDER:-,30mohm	
5	C422	2401-001527	C-AL:47uF,20%,250V,HR,TP13x25mm,5m		5	CN901	3711-002644	CONNECTOR-HEADER:BOX,5P,1R,2.5mm,STRAIGH	
5	C917	2401-000025	C-AL:100uF,20%,16V,GP,TP6.3x11,5		5	CN601	3711-002644	CONNECTOR-HEADER:BOX,5P,1R,2.5mm,STRAIGH	
5	C102	2401-000025	C-AL:100uF,20%,16V,GP,TP6.3x11,5		5	J820	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C913	2401-000025	C-AL:100uF,20%,16V,GP,TP6.3x11,5		5	J821	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C915	2401-000025	C-AL:100uF,20%,16V,GP,TP6.3x11,5		5	J822	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C823	2401-002144	C-AL:47uF,20%,16V,GP,TP5x11,5		5	J823	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C920	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J824	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C652	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J826	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C645	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J813	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C631	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J815	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C207	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J816	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C239	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J817	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C603	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J818	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C630	2401-000050	C-AL:10uF,20%,16V,GP,TP5x11,2,5		5	J819	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C404	2401-002288	C-AL:470uF,20%,25V,WT,TP,10x20,5		5	J827	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C202	2401-002463	C-AL:470uF,20%,16V,GP,TP8x11,5,5		5	J835	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C811	2401-002463	C-AL:470uF,20%,16V,GP,TP8x11,5,5		5	J902	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C418	2401-002597	C-AL:220uF,20%,35V,GP,TP10x12.5,5		5	J903	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C414	2401-002597	C-AL:220uF,20%,35V,GP,TP10x12.5,5		5	J904	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C827	2401-002619	C-AL:47uF,20%,25V,GP,TP5x11,5		5	J905	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C833	2401-002619	C-AL:47uF,20%,25V,GP,TP5x11,5		5	J906	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C834	2401-003034	C-AL:220uF,20%,16V,WT,TP8x11,5,5		5	J828	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C826	2401-003034	C-AL:220uF,20%,16V,WT,TP8x11,5,5		5	J829	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C808	2401-003046	C-AL:47uF,20%,50V,WT,TP6.3x11,2,5		5	J831	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	C104	2401-003578	C-AL:1000uF,20%,10V,GP,TP8x20mm,5		5	J832	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L907	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		5	J833	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L702	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		5	J715	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L701	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		5	J716	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L301	2701-000114	INDUCTOR-AXIAL:10uH,10%,2.5x3.4mm		5	J717	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L103	2701-000115	INDUCTOR-AXIAL:10uH,10%,3x7mm		5	J718	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L101	2701-000115	INDUCTOR-AXIAL:10uH,10%,3x7mm		5	J719	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L102	2701-000159	INDUCTOR-AXIAL:22uH,10%,4.2x9.8mm		5	J720	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L602	2701-000169	INDUCTOR-AXIAL:3.9uH,10%,2.5x3.4mm		5	J708	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L608	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J710	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L703	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J711	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L704	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J712	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L705	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J713	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L706	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J714	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L603	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J721	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L604	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J802	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L605	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J803	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L607	2701-000180	INDUCTOR-AXIAL:33uH,5%,2.5x3.4mm		5	J804	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L902	2701-000184	INDUCTOR-AXIAL:4.7uH,10%,2.5x3.4mm		5	J806	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L909	2701-000191	INDUCTOR-AXIAL:47uH,10%,2.5x3.4mm		5	J812	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L908	2701-000191	INDUCTOR-AXIAL:47uH,10%,2.5x3.4mm		5	J723	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L201	2701-000200	INDUCTOR-AXIAL:5.6uH,10%,4.2x9.8mm		5	J724	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L906	2701-000215	INDUCTOR-AXIAL:8.2uH,10%,2.5x3.4mm		5	J725	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L811	2701-001030	INDUCTOR-AXIAL:43uH,10%,5x14mm		5	J726	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L403	2701-001040	INDUCTOR-AXIAL:10uH,10%,4.5x14mm		5	J727	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L904	2702-001094	INDUCTOR-RADIAL:10uH,10%,6x4mm		5	J801	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L903	2702-001094	INDUCTOR-RADIAL:10uH,10%,6x4mm		5	J948	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L601	2702-001094	INDUCTOR-RADIAL:10uH,10%,6x4mm		5	J949	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L901	2702-001094	INDUCTOR-RADIAL:10uH,10%,6x4mm		5	J950	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L804	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-		5	J951	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L613	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-		5	J952	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L612	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-		5	J954	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	
5	L407	2901-000297	FILTER-EMI ON BOARD:-,3A,-,-,3.5x5,TP-		5	J941	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)	

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
5	JW01A	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)		5	EY702	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	JW01B	3812-000219	WIRE-NO SHEATH CU:TCWA,300V,52mm(TAPING)		5	EY701	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY830	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY604	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY829	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY603	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY828	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY447	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY825	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY803	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY824	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY802	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY820	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY801	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY837	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY706	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY836	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY705	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY835	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY704	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY833	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY434	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY832	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY433	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY831	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY432	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY811	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY431	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY810	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY430	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY809	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY429	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY806	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY446	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY805	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY441	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY804	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY439	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY817	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY435	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY816	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY436	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY815	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EY437	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	
5	EY814	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL408	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY813	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL801	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY812	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL802	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY838	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL805	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY860	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL806	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY859	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL807	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY858	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL808	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY857	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL407	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY856	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL201	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY855	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL202	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY872	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL203	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY871	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL204	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY865	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL403	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY864	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL402	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY862	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	EL401	6042-000001	EYELET;ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	
5	EY861	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT801	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY845	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT412	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY844	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT411	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY842	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT410	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY841	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT802	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY840	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT803	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY839	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT804	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY854	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT805	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY853	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT806	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY851	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT102	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY850	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT404	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY848	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT405	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY846	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT406	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY419	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	GT409	AA60-40014A	PIN-GT,ASSY:AUTO	
5	EY418	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	PCB	AA41-00707D	PCB-MAIN:CS29Z6HPFR-1,1L,D,1.6T,330X24	
5	EY417	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	C119	2401-002009	C-AL:100uf,20%,16V,GP,TP6.3x7.5	
5	EY415	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	R305	2003-002205	R-METAL OXIDE(S):330ohm,5%,2W,AG,TP,3.9X	
5	EY414	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	R306	2003-002205	R-METAL OXIDE(S):330ohm,5%,2W,AG,TP,3.9X	
5	EY413	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		△	FP801S	3601-000297	FUSE-CARTRIDGE:250V,5A,TIME-LAG,GLASS,5.	
5	EY425	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	R307	2008-001114	R-FUSIBLE(S):1.5ohm,5%,2W,AG,TP,3.9x12mm	
5	EY424	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	C907	2305-000412	C-FILM,MPEF:470nf,5%,63V,TP,5mm	
5	EY423	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	C910	2201-000980	C-CERAMIC,DISC:0.03NF,5%,50V,COG,TP,5X3MM	
5	EY422	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	C911	2201-000980	C-CERAMIC,DISC:0.03NF,5%,50V,COG,TP,5X3MM	
5	EY421	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	CW901	2503-000156	C-NETWORK:100pF,4,20%,50V	
5	EY420	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	IC904	1203-001943	IC-VOL. DETECTOR:7025,TO-92,3P,-,PLASTIC	
5	EY406	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	R907	2001-000995	R-CARBON:8200HM,5%,1/8W,AA,TP1.8X3.2MM	
5	EY405	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	X901	2801-003728	CRYSTAL-UNIT:6MHz,30ppm,28-AAAM,20pF,40oh	
5	EY404	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	C660	2401-002075	C-AL:4.7uf,20%,50V,GP,TP5x11.5	
5	EY403	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	R418	2001-001159	R-CARBON(S):5100HM,5%,1/2W,AA,TP2.4X6.4	
5	EY303	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	R411	2001-001159	R-CARBON(S):5100HM,5%,1/2W,AA,TP2.4X6.4	
5	EY302	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	R415	2001-001099	R-CARBON(S):2.7KOHM,5%,1/2W,AA,TP2.4X6.4	
5	EY412	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	HIC401	AA13-00094A	IC-HYBRID:-,DDRIO01A,SIP5P,-,TP	
5	EY411	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		5	C903	2202-000719	C-CERAMIC,MLC-AXIAL:6.8nf,20%,16V,Y5R,TP	
5	EY410	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		4	IC202	1203-001944	IC-POSI.FIXED REG.:78RM33,TO-220,3P,-,PL	
5	EY409	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		4	IC903	1203-001944	IC-POSI.FIXED REG.:78RM33,TO-220,3P,-,PL	
5	EY408	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		△	IC402	1203-000243	IC-POSI.FIXED REG.:7812A,TO-220,3P,-,PLA	
5	EY407	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		4	Q404	0505-001723	FET-SILICON:FQP630TSTU,N,200V,9A,0.4OHM,	
5	EY426	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		3	Q804	BH99-00007S	ASSY HEAT/SINK:KSC2073,MICOM,HERCULES,BH	
5	EY703	6042-000002	EYELET;ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H		4	CIS	0205-000129	GREASE-SILICON:SC102,-,JAPAN	

Electrical Parts List

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
4	CIS	0502-001007	TR-POWER:KSC2073-H2,NPN,25W,TO-220,ST,6		4	RF22	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP1.8X3.2M	
4	CIS	BH61-00004A	SPRING ETC-TR:CDA,CDB,SUS304,-,-,-,-,-,T		4	R527	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP1.8X3.2M	
4	CIS	BH62-00007A	HEAT SINK-TR:-,T1.0,L20*H30,CDA		4	R502	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP1.8X3.2M	
3	IC901	AA09-00041A	IC:MICOM,SDA555X-OTP3.3V,-,128K,SDIP,-		4	R501	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP1.8X3.2M	
3	C644	2401-000192	C-AL:1000uF,20%,50V,GP,TP16x25,7.5		4	RF21	2001-000258	R-CARBON:1.8KOHM,5%,1/8W,AA,TP1.8X3.2M	
3	C648	2401-000192	C-AL:1000uF,20%,50V,GP,TP16x25,7.5		4	R530	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP1.8X3.2M	
3	C653	2401-002216	C-AL:2200uF,20%,35V,GP,TP16x25,7.5		4	R562	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP1.8X3.2M	
3	X601	2801-004020	CRYSTAL-UNIT:18.432MHz,30ppm,28-AAM,12pF		4	R563	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP1.8X3.2M	
3	CN301	AA60-40012D	PIN-GT,ASSY:T1.6,6-12.5,-,NYLON66		4	R564	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM	
2		AA94-12051A	ASSY PCB MISC-CRT:3Z26,K55A		4	R522	2001-000290	R-CARBON:10KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3		0202-000008	SOLDER-WIRE:S63S-W3.0,S63S,D3,63Sn/37Pb,		4	RF20	2001-000331	R-CARBON:12KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3		0202-000187	SOLDER-WIRE FLUX:-,RS60S,D1.2,63Sn/37Pb,		4	R519	2001-000356	R-CARBON:150KOHM,5%,1/8W,AA,TP1.8X3.2M	
3		0204-000442	SOLVENT:1M-1000,C3H7OH,96,-		4	R556	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3		0204-001024	FLUX:DF-98TVS,-,20%,		4	R555	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3	R529	2008-001076	R-FUSIBLE(S):1.8ohm,5%,2W,AF,TP3.9x10mm		4	R554	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3	C522	2201-002117	C-CERAMIC,DISC:4.7nF,20%,3KV,Y5U,TP16x6		4	R540	2001-000429	R-CARBON:1KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3	C523	2306-000272	C-FILM,MPPF:820NF,5%,400V,BK,29X25.5X18.		4	R507	2001-000472	R-CARBON:2.7KOHM,5%,1/8W,AA,TP1.8X3.2M	
⚠	V999S	3704-001032	SOCKET-CRT:8P29P1,35.5PI,AU30U		4	R531	2001-000539	R-CARBON:24KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3	CNC02	3711-003051	CONNECTOR-HEADER:BOX,8P,1R,2.5MM,STRAIGH		4	RF23	2001-000554	R-CARBON:270KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3	CNC01	3711-003974	CONNECTOR-HEADER:BOX,12P,1R,2.5mm,STRAIG		4	R520	2001-000563	R-CARBON:27KOHM,5%,1/8W,AA,TP1.8X3.2MM	
3	SC01	3722-001503	JACK-PIN:1P,1PI,N1,RED,SCR-JACK		4	R523	2001-000890	R-CARBON:6.8KOHM,5%,1/8W,AA,TP1.8X3.2M	
3	CNC01A	AA39-00088A	LEAD CONNECTOR-ASSY:HERCULES,UL1007/1185		4	R508	2001-000995	R-CARBON:820OHM,5%,1/8W,AA,TP1.8X3.2MM	
3	CNC02A	AA39-00127A	LEAD CONNECTOR-ASSY:8P,400MM,35155-0800		4	R566	2001-001040	R-CARBON(S):0.68OHM,5%,1/2W,AA,TP2.4X6.	
⚠	GT503S	AA39-20010B	LEAD CONNECTOR-ASSY:1P,500,YFH800-01,S,		4	R505	2001-001045	R-CARBON(S):1.2KOHM,5%,1/2W,AA,TP2.4X6.	
3	QF10	AA96-00243L	ASSY H/S:-,CRT,AA62-000450A,2SC2344,HER		4	R504	2001-001045	R-CARBON(S):1.2KOHM,5%,1/2W,AA,TP2.4X6.	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		4	RF33	2001-001053	R-CARBON(S):1.5OHM,5%,1/2W,AA,TP2.4X6.4	
4		0502-000153	TR-POWER:2SC2344-D,NPN,1.2W,TO-220,-,60		4	RF29	2001-001071	R-CARBON(S):12KOHM,5%,1/2W,AA,TP2.4X6.4	
4		6003-000334	SCREW-TAPTITE:RH,+2S,M3,L6,ZPC(YEL),SWR		4	R565	2001-001071	R-CARBON(S):12KOHM,5%,1/2W,AA,TP2.4X6.4	
4		AA62-00065A	HEAT SINK-PS-DP:-,-,AA62-00045A,-,-,-,-,-		4	RF19	2001-001079	R-CARBON(S):150HM,5%,1/2W,AA,TP2.4X6.4M	
3	QF09	AA96-00243M	ASSY H/S:-,AMP,AA62-000450A,2SA1011,HER		4	RF18	2001-001079	R-CARBON(S):150HM,5%,1/2W,AA,TP2.4X6.4M	
4		0205-000129	GREASE-SILICON:SC102,JAPAN		4	R503	2001-001088	R-CARBON(S):1KOHM,5%,1/2W,AA,TP2.4X6.4M	
4		0502-000131	TR-POWER:2SA1011-D,PNP,1.2W,TO-220,-,60		4	R518	2001-001095	R-CARBON(S):2.2MOHM,5%,1/2W,AA,TP2.4X6.	
4		6003-000334	SCREW-TAPTITE:RH,+2S,M3,L6,ZPC(YEL),SWR		4	RF34	2001-001100	R-CARBON(S):2.7OHM,5%,1/2W,AA,TP2.4X6.4	
4		AA62-00065A	HEAT SINK-PS-DP:-,-,AA62-00045A,-,-,-,-,-		4	R561	2001-001126	R-CARBON(S):300OHM,5%,1/2W,AA,TP2.4X6.4	
3	IC501	AA96-50311L	ASSY H/S:-,AMP,AA62-30175D ,TDA6111Q,H		4	R516	2001-001153	R-CARBON(S):470HM,5%,1/2W,AA,TP2.4X6.4M	
3	IC502	AA96-50311L	ASSY H/S:-,AMP,AA62-30175D ,TDA6111Q,H		4	RF27	2001-001179	R-CARBON(S):68KOHM,5%,1/2W,AA,TP2.4X6.4	
3	IC503	AA96-50311L	ASSY H/S:-,AMP,AA62-30175D ,TDA6111Q,H		4	RF26	2001-001179	R-CARBON(S):68KOHM,5%,1/2W,AA,TP2.4X6.4	
4		1201-001131	IC-VIDEO AMP:6111,SIP9P,-,SINGLE,-,PLAS		4	R511	2001-001194	R-CARBON(S):82KOHM,5%,1/2W,AA,TP2.4X6.4	
4		6003-000334	SCREW-TAPTITE:RH,+2S,M3,L6,ZPC(YEL),SWR		4	R510	2001-001194	R-CARBON(S):82KOHM,5%,1/2W,AA,TP2.4X6.4	
4		AA62-30175D	HEAT SINK-PS:-,SECC,T1.0,-,33X15X30 FT-2		4	R506	2001-001194	R-CARBON(S):82KOHM,5%,1/2W,AA,TP2.4X6.4	
3		AA97-13361B	ASSY AUTO-CRT:3Z27,S57A		4	R525	2002-001006	R-COMPOSITION:4.7KOHM,15%,1/2W,AA,TP3.7	
4	DF06	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,		4	R515	2002-001017	R-COMPOSITION:1Kohm,10%,1/2W,AA,TP3.7x9	
4	DF05	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,		4	R514	2002-001017	R-COMPOSITION:1Kohm,10%,1/2W,AA,TP3.7x9	
4	DF02	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,		4	R513	2002-001017	R-COMPOSITION:1Kohm,10%,1/2W,AA,TP3.7x9	
4	DF01	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,		4	R528	2003-000458	R-METAL OXIDE(S):100ohm,5%,2W,AF,TP4x12	
4	D501	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,		4	RF36	2003-000652	R-METAL OXIDE(S):330ohm,5%,2W,AF,TP4x12	
4	D513	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	RF35	2003-000746	R-METAL OXIDE(S):56ohm,5%,2W,AF,TP4x12m	
4	D514	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	RF32	2003-000746	R-METAL OXIDE(S):56ohm,5%,2W,AF,TP4x12m	
4	DF07	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	RF24	2003-001018	R-METAL OXIDE(S):220ohm,5%,2W,AF,TP3.9x	
4	DF08	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	RF16	2003-002276	R-METAL OXIDE(S):2.2KOHM,5%,2W,AG,TP12X	
4	D512	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	RF15	2003-002276	R-METAL OXIDE(S):2.2KOHM,5%,2W,AG,TP12X	
4	D511	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	RF14	2003-002276	R-METAL OXIDE(S):2.2KOHM,5%,2W,AG,TP12X	
4	D510	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	R512	2004-001369	R-METAL(S):1.2Kohm,1%,1/2W,AA,TP2.4x6.4	
4	D509	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	R509	2008-001047	R-FUSIBLE(S):68ohm,5%,2W,AF,TP3.9x10mm	
4	D502	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T		4	RF13	2008-001053	R-FUSIBLE:22ohm,5%,1/2W,AF,TP2.5x6.5mm	
4	DZF03	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500		4	R541	2008-001053	R-FUSIBLE:22ohm,5%,1/2W,AF,TP2.5x6.5mm	
4	DZ504	0403-000698	DIODE-ZENER:TZP12A,12V,11.4-12.6V,1W,DO-		4	CF06	2201-000192	C-CERAMIC,DISC:0.01nF,0.25PF,500V,COG,TP	
4	DZ502	0403-000708	DIODE-ZENER:MTZJ13B,13V,12.55-13.21V,500		4	CF03	2201-000192	C-CERAMIC,DISC:0.01nF,0.25PF,500V,COG,TP	
4	DZ501	0403-000708	DIODE-ZENER:MTZJ13B,13V,12.55-13.21V,500		4	C501	2201-000193	C-CERAMIC,DISC:0.01nF,0.25PF,50V,COG,TP	
4	DZ510	0403-000734	DIODE-ZENER:TZP15B,15V,14.7-16.5V,1W,DO-		4	C510	2201-000291	C-CERAMIC,DISC:1nF,10%,500V,Y5P,TP7.5X3	
4	DZF02	0403-001039	DIODE-ZENER:MA2560.56V,52-60V,1W,DO-41,T		4	CF02	2201-000017	C-CERAMIC,DISC:1nF,10%,50V,Y5P,TP5X3.5M	
4	DZF01	0403-001039	DIODE-ZENER:MA2560.56V,52-60V,1W,DO-41,T		4	CF04	2201-000516	C-CERAMIC,DISC:4.7nF,+100-0%,500V,Y5U,TP	
4	QF04	0501-000283	TR-SMALL SIGNAL:KSA539,PNP,400mW,TO-92,T		4	C514	2201-000599	C-CERAMIC,DISC:0.56nF,10%,500V,Y5P,TP5.	
4	Q504	0501-000283	TR-SMALL SIGNAL:KSA539,PNP,400mW,TO-92,T		4	C515	2201-000599	C-CERAMIC,DISC:0.56nF,10%,500V,Y5P,TP5.	
4	Q503	0501-000283	TR-SMALL SIGNAL:KSA539,PNP,400mW,TO-92,T		4	C513	2201-000599	C-CERAMIC,DISC:0.56nF,10%,500V,Y5P,TP5.	
4	Q502	0501-000283	TR-SMALL SIGNAL:KSA539,PNP,400mW,TO-92,T		4	CF07	2201-000604	C-CERAMIC,DISC:0.056nF,+100-0%,500V,SL,T	
4	Q501	0501-000283	TR-SMALL SIGNAL:KSA539,PNP,400mW,TO-92,T		4	C509	2301-000016	C-FILM,PEF:22nF,5%,100V,TP7.2x4.5x9.0mm	
4	QF05	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		4	C507	2301-000016	C-FILM,PEF:22nF,5%,100V,TP7.2x4.5x9.0mm	
4	QF03	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		4	C506	2301-000016	C-FILM,PEF:22nF,5%,100V,TP7.2x4.5x9.0mm	
4	QF02	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T		4	C505	2301-000016	C-FILM,PEF:22nF,5%,100V,TP7.2x4.5x9.0mm	
4	RF17	2001-000019	R-CARBON(S):100HM,5%,1/2W,AA,TP2.4X6.4M		4	C504	2301-000016	C-FILM,PEF:22nF,5%,100V,TP7.2x4.5x9.0mm	
4	R560	2001-000052	R-CARBON(S):3.3KOHM,5%,1/2W,AA,TP2.4X6.		4	CF05	2301-000261	C-FILM,PEF:4.7nF,5%,100V,TP10.10,5x12.5x6	
4	RF31	2001-000221	R-CARBON:1.2KOHM,5%,1/8W,AA,TP1.8X3.2M		4	C526	2301-001211	C-FILM,PEF:22nF,5%,400V,TP20x7x14,7.5mm	
4	RF30	2001-000221	R-CARBON:1.2KOHM,5%,1/8W,AA,TP1.8X3.2M		4	C512	2301-001211	C-FILM,PEF:22nF,5%,400V,TP20x7x14,7.5mm	
4	RF28	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP1.8X3.2M		4	C511	2301-001211	C-FILM,PEF:22nF,5%,400V,TP20x7x14,7.5mm	
4	RF25	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP1.8X3.2M		4	C508	2301-001211	C-FILM,PEF:22nF,5%,400V,TP20x7x14,7.5mm	

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
-------	----------	----------	-----------------------------	--------	-------	----------	----------	-----------------------------	--------

ASSY COVER REAR

1		AA90-04816A	ASSY COVER REAR:32Z4,KS3A	
2		HA91-00947B	ASSY C.32Z4 BACK;KS3A,VL-1823,	
3		AA64-00894G	INLAY-BACK:D3,PS SHEET,TO.3,-,-,BLK,SCAR	
3		HA59-00244A	TERMINAL-BOARD;TERMINAL-BOARD;32W8,HIPS,	
4		HA83-00006A	LP-RESIN HIPS;BASF495F,NTR,HB	
4		HA83-00011A	LP-RESIN;M BATCH,WILSON 6007-GY-60,GRY	
3	CB+TB	6002-000515	SCREW-TAPPING:RH,+ 2,M4,L15,ZPC(WHT),SWR	
3		HA64-02525B	CABINET BACK:32Z4,VL-1823,GRY	
4		AA81-00096A	RESIN-A:VL-1823,G5433,A	
2		AA65-30008A	CLAMPER CORE-CORD;-PE,HB,-,BLK,-	
2		AA65-30009A	CLAMPER CORE-FBT;-ABS,VO,-,BLK,-	

ASSY PACKING

1		AA90-01154A	ASSY PACKING:32Z4	
2		AA69-02232A	PACKING CASE:32Z4(SEH),D-5 AB,A1,YEL,EUR	
2		HA69-01540A	CUSHION-SET:32Z4	
3		HA83-00058A	LP-RESIN-EPS;CHEIL SF-301V,WHT	
2		AA69-00744F	BAG-SHEET;-HDPE PE FOAM,TO.015,W1400,H1	
2		AA60-40006A	PIN-STAPLE:AUTO,33X17.8X2.4,H18,33X17.8X	
2		AA68-02178B	LABEL-BOX;110MM,110MM,WHITE	
2		HA83-00057A	LP-TAPE-CELLULOSE;HA02-030011,TO,046,W7	
2		HA83-00046A	LP-TAPE INK;WIDTH 105 MM	
1		AA91-00821A	ASSY HOLDER SPK;-,-,15W, 80HM,-,EUROPE F	
1		AA39-00191A	LEAD CONNECTOR-ASSY;4P,1100/500MM,35155	

ASSY ACCESSORY

1		AA92-08050D	ASSY ACCESSORY:SPIDERMAN,XEU,D,K55A	
2		4301-000121	BATTERY-MN:1.5V;-AAA,10.5x44.5m,HOLDER	
2		HA68-00336B	CARD-WARRANTY:A/P100(G),A5,NEW VERSION,I	
2		AA59-00116B	REMOCON;-TM57,37,D3/D4,L/GRAY/S,S,GRA	
2		AA69-02248A	BAG ACCESSORY;HDPE,TO.02,L350,W200	
2		HA68-02124A	LABEL:A/P120(G),70,69,WHITE,XECCO	
2		HA83-00047A	LP-TAPEACETATE:TO.1MM,W20MM,L200MM	
2		AA68-02859A	MANUAL USERS:WS28A11,HELP-OFF,ENG,EUROPE	
2		HA68-02329A	CARD-REGISTRATION-EUROPE.2,VV/P120,A5,4P	
2		HA68-00971A	LABEL-BACK,DOLBY:A/P100(G),SILVER-BLACK	

You can search for the updated part code through ITSELF web site.
 URL : http://itself.sec.samsung.co.kr

7-2 WS32Z46VSGXXEC

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
ASSY CHASSIS									
1	M0017	AA91-06366B	ASSY CHASSIS:WS32Z46VSGXXEC,K55A/D,EUR,P	S.N.A	...	JA701	3722-001031	JACK-PIN:3P3.6mm,#18,AU	
..2	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A	...	JS701	3722-001163	JACK-VHS:4P,12mm,AU,BLK,N	
..2	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A	...	T0245	AA39-00070A	LEAD CONNECTOR-ASSY:,4P200MM,YBNH250-04	
..2	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A	...	T0245	AA39-00317B	LEAD CONNECTOR-ASSY:K55A/WT-32Z4HD,UL100	
..2	TB+HC	6006-001095	SCREW-ASSY TAPT:VWPBH,+,M4,L12,ZPC(YEL)	S.N.A	...	T0245	AA39-20069C	LEAD CONNECTOR-ASSY:,5P400,YBNH025-05,6	
..2		AA65-30105A	CLAMPER CORE-WIRE:ALL MODEL,NYLON 66,V2,	S.N.A	AA91-06363A	ASSY MISC-DOOR AV:WS32-28Z46,K55A	S.N.A
..2	T0268	AA94-07792A	ASSY PCB MISC-DYNAMIC FOCUS:CT-29Z7HR,K5		HA61-00452D	HOLDER-AV:COVER:32Z5,HIPS,HB,GRY	
..3		0202-000187	SOLDER-WIRE FLUX:-,RS60S,D1.2,63Sn/37Pb	S.N.A	HA83-00006A	LP-RESIN HIPS,;BASF495F,NTR,HB	S.N.A
..3	RH28	2008-001113	R-FUSIBLE(S):0.22ohm,10%,2W,AG,TP:3.9x12		HA83-00011A	LP-RESIN:M BATCH,WILSON 6007-GY-60,GRY	S.N.A
..3	LH01	AA26-90002C	TRANS-DUIMMY:;EER2		HA61-00453D	HOLDER-AV:HOUSING:32Z5,HIPS,HB,GRY	
..3	LH02	AA27-40003L	COIL HORIZ. WIDTH:-,1.0mH,DR14x20,2UEW0.		HA83-00006A	LP-RESIN HIPS,;BASF495F,NTR,HB	S.N.A
..3	T0245	AA39-20061C	LEAD CONNECTOR-ASSY:,3P200,YFH800-03,S,		HA83-00011A	LP-RESIN:M BATCH,WILSON 6007-GY-60,GRY	S.N.A
..3		AA97-07229L	ASSY AUTO-DYNAMIC FOCUS:CT-29Z7HR,K55A	S.N.A	AA64-01204E	INLAY-SIDE AV:32Z4,PS SHEET,TO.3,K3SA PA	S.N.A
..4	PCB	AA41-00152C	PCB-DOUBLE FOCUS:CW29A6VN8X/XEF,FR-1,1L,	S.N.A	AA63-10002A	BAND-TIE:NYLON66 V2,L100,NTR	S.N.A
..4	EY09	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	T0081	6003-001070	SCREW-TAPTITE:BH,+,B,M2,L4,ZPC(BLK),SWRC	S.N.A
..4	EY08	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	T0207	AA61-80002A	DAMPER-GEAR:-,DP802,;BLU,DP802	
..4	EY07	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	AA61-60109D	SPRING ETC-DOOR:32W8,SUS304L,;---	S.N.A
..4	EY06	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	AA61-30001A	LATCH-DOOR:;---,KIFUCO LA701	
..4	EY05	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	T0010	HA61-00451E	HOLDER-AV:32Z5,HIPS,HB,GRY	
..4	EY01	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	HA83-00006A	LP-RESIN HIPS,;BASF495F,NTR,HB	S.N.A
..4	EY02	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	HA83-00011A	LP-RESIN:M BATCH,WILSON 6007-GY-60,GRY	S.N.A
..4	EY03	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	AA97-14036A	ASSY AUTO-AV:WS32-28Z46,K55A,ALL,SEH,006	S.N.A
..4	EY04	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	DZ016	0403-000708	DIODE-ZENER:MTZJ13B,13V,12.55-13.21V,500	
..4	EY10	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	DZ016	0403-000720	DIODE-ZENER:MTZJ13B,13V,12.55-13.21V,500	
..4	EY11	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	DZ016	0403-000720	DIODE-ZENER:MTZJ9.1B,9.1V,8.57-9.01V,500	
..4	EY12	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	R701	2001-000028	R-CARBON(S):1000HM,5%,1/2W,AA,TP2.4X6.4	
..4	EY13	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...	R702	2001-000028	R-CARBON(S):1000HM,5%,1/2W,AA,TP2.4X6.4	
..4	GTH03	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...	C689	2202-000121	C-CERAMIC,MLC-AXIAL:100pF,10%,50V,Y5P,TP	
..4	GTH02	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...	C689	2202-000121	C-CERAMIC,MLC-AXIAL:100pF,10%,50V,Y5P,TP	
..4	GTH01	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...	C689	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T	
..4	GTH04	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...	C689	2202-000231	C-CERAMIC,MLC-AXIAL:0.33NF,10%,50V,Y5P,T	
..2	T0286	AA95-01549A	ASSY ETC-PCB POWER SWITCH;XXZ4,K3SA		...	L701	2701-000114	INDUCTOR-AXIAL:10uH,10%,2534	
..3	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A	...	L702	2701-000114	INDUCTOR-AXIAL:10uH,10%,2534	
..3	T0062	HA61-00450C	HOLDER-POWER:32Z5,HIPS,HB,GRY	S.N.A	...	L705	2701-000168	INDUCTOR-AXIAL:3.3uH,5%,2534	
..4		HA83-00006A	LP-RESIN HIPS,;BASF495F,NTR,HB	S.N.A	...	L706	2701-000168	INDUCTOR-AXIAL:3.3uH,5%,2534	
..4		HA83-00012A	LP-RESIN:M BATCH,WILSON 6053-GY-60,GRY	S.N.A	...	L707	2701-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	
..3	T0269	AA95-01547A	ASSY ETC-PCB SUB POWER;28-32Z4,K3SA-4A		...	L708	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	
△	SW811S	3403-001134	SWITCH-PUSH:250V,5A,DPST,ON-OFF,-		..2	PCB	AA41-00616B	PCB-A/V SIDE(Z4):CT-29Z4HRH,FR-1,1L,B,1.	S.N.A
..4	T0245	AA39-20179F	LEAD CONNECTOR-ASSY:,3(2)P400MM,YFH800-		..3	T0073	AA94-13009B	ASSY PCB MAIN:WS32Z4-M66/K55A,ALL,SEH,0	
..4		HA99-200092	ASSY-PCB,SUB POWER(ACI):32-28Z4,K3SA-4A		..3	Q409	0505-001116	FET-SILICON:BUZ73A,N,200V,22A,0.6ohm,40W	
..5	PCB	AA41-00521A	PCB-MASTER S/W:CS32Z4,FR-1,1L,A,1.6T,245	S.N.A	..3	C806	2306-000112	C-FILM,LEAD-PFF:100nF,20%,250V,BK,-,15mm	
..5	EL01	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	..3	C701	2401-003419	C-AL:2200uF,20%,50V,WT,TP:16x35,5mm	
..5	EL02	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	△	RL801S	3501-001053	RELAY-POWER:5VDC,530MW,10000MA,1FORMA,15	
..5	EL03	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	..3	CN906	3711-003974	CONNECTOR-HEADER:BOX,12P1R,2.5mm,STRAIG	
..5	EL04	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	..3	JA702	3722-001767	JACK-PIN:2P(9P)-,NI,WHI/RED,-	
..5	GTY05	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	..3	JA701	3722-001884	JACK-SCART:42P,-,SNPB,BLK,-	
..5	GTY06	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	..3	C-BLOC	AA26-00069A	TRANS FBT-C BLOCK:FUJ-29C002C(S),DREAM3,	
..5	GTY07	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	△	T801S	AA26-00178A	TRANS SWITCHING:EER5345,K55A,PAL,CIS,160	
..5	GTY08	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	△	T444S	AA26-00187A	TRANS FBT:FUJ34H003F,CPTTV2.3MH,FERRITE	
..5	GTY09	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	△	T401	AA26-50001S	TRANS-HORIZ.DRIVE:-,6.0mH,-,44uH,-	
..5	GTY10	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	△	LR404S	AA27-00031A	COIL HORIZ. WIDTH:-,140UH,AR 8X20,0.8MM,	
..4	CIS1	AA98-00228A	ASSY SUB PART:KS4A,SUB PCB,32Z4	S.N.A	△	PFC01S	AA27-00269A	COIL CHOKE-PFC:35MH,CPTTV,35MH,10%,2.0OH	
..5		0202-000187	SOLDER-WIRE FLUX:-,RS60S,D1.2,63Sn/37Pb	S.N.A	△	LR402S	AA27-10004F	COIL CHOKE:-,56uH,K,-,2.5A,BK,-,DR12x15,	
..3	T0289	AA95-01545A	ASSY ETC-PCB LED BOARD;XXZ4,K3SA		..3	T0296	AA27-00015A	COIL LINEARITY:-,7.3UH,L81 DR15X18,-,B	
..4	LDY01	0601-000198	LED:ROUND,RED/GRN,5.0mm,630/565nm		..3	T0245	AA39-00114C	LEAD CONNECTOR-ASSY:,12P500MM,35155-120	
..4	RMY01	AA32-00005A	MODULE REMOCON:VISHAY,10,700-850,-,ST		..3	T0245	AA39-20010C	LEAD CONNECTOR-ASSY:,1P600,YFH800-01,S,	
..4	T0245	AA39-20069D	LEAD CONNECTOR-ASSY:,5P,300,YBNH025-05,6		..3	T0245	AA39-20536G	LEAD CONNECTOR-ASSY:,1P60MM,FF,1617#22	
..4		HA99-200093	ASSY-PCB,LED(ACI):32-28Z4,K3SA		..3	T0241	AA95-03188A	ASSY SUB PCB-PCB,FEATURE BOX:DPK55A,PAL	
..5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500		..3	IC805	AA96-00243K	ASSY H/S:-,REGULATOR,AA62-000450A,KA78R	S.N.A
..5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500		..4		0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A
..5	RY01	2001-000020	R-CARBON(S):220HM,5%,1/2W,AA,TP2.4X6.4M		..4	T0123	1203-001006	IC-VOLTAGE REGULATOR:78R05,TO-220F,4P,-	
..5	PCB	AA41-00520B	PCB-LED:CS32Z4/29Z4,FR-1,1L,B,1.6T,245	S.N.A	..4	T0081	6003-000334	SCREW-TAPTITE:RH,+,2S,M3,L6,ZPC(YEL),SWR	
..5	C701	2401-002291	C-AL:47uF,20%,16V,GP,TP:6.3x5,5		..4		AA62-00065A	HEAT SINK-PS:DP,-,AA62-00045A,-,---	S.N.A
..3	CCM	6001-000057	SCREW-MACHINE:RH,+,M3,L6,ZPC(BLK),SWRCH1	S.N.A	..3	HC401	AA96-00275L	ASSY H/S:-,SCREW,SILICON-OIL,AA62-00051B,	S.N.A
..2	T0125	AA94-13018A	ASSY PCB MISC-AV:WS32-28Z46,K55A,ALL,SEH		..4	CIS	0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A
..3	JH701	3722-000143	JACK-PHONE:1P(V),3.4PI,AG,BLK,NO		..4	T0083	0402-001296	DIODE-RECTIFIER:FMP-3FU,1.5KV,5A,TO-3PF,	
					..4	T0090	0502-001230	TR-POWER:FJL6920YDTU,N,200000MM,TO-264	
					..4	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A
					..4	T0081	6003-000334	SCREW-TAPTITE:RH,+,2S,M3,L6,ZPC(YEL),SWR	

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
...	4	CIS	AA60-30001A	WASHER-PLATE:M3,ID3.5,15X8.5,T1.0,SBHG	S.N.A5	T0083	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T
...	4	CIS	AA62-00067B	HEAT SINK-PS:DPAA62-00051B	S.N.A5	T0083	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T
...	4	CIS	AA62-00092A	HEAT SINK-STB:A6063 EXTR.,T1.3,28*28,H12	S.N.A5	T0083	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T
△	3	D801S	AA96-00276C	ASSY H/S-.BRIDGE_AA62-00052A,GSIB660,	S.N.A5	T0083	0402-000546	DIODE-RECTIFIER:TVR10G,400V,1.0A,DO-41,T
...	4		0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0083	0402-001399	DIODE-BRIDGE:GSIB660,600V,6A,SIP-4,BK	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4		AA60-30003A	WASHER:T1.5,SBHG-1	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4		AA62-00052A	HEAT SINK-PS:-,-,SILVER,HOLE 18.5mm, 2	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	3	HC801	AA96-00475A	ASSY H/S-.REGULATOR,AA62-00066B,FML-G1	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4		0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0083	0402-000233	DIODE-RECTIFIER:FML-G12S,200V,5A,-,-	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0083	0402-0001230	DIODE-RECTIFIER:FMG-G2CS,1000V,3A,TO-220	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0123	1203-001006	IC-VOLTAGE REGULATOR:78R05,TO-220F,4P,-	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0081	6003-000334	SCREW-TAPTITE:RH,+,2S,M3,L6,ZPC(YEL),SWR	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4		AA62-00066B	HEAT SINK:D2,D3,AL.,T1.0,89,70,-,AA62-00	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	3	IC602	AA96-50369D	ASSY H/S-.SOUND,AA62-30181F,TDA7269,HE	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4		0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0124	1201-001385	IC-POWER AMP:7269A,ZIP11,19.6,DUAL,13,P	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4		AA62-30181F	HEAT SINK-ES:-,AL6063 EXTR.,2,WHT,50MM,-	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
△	3	IC801S	AA96-50371H	ASSY H/S-.SMPs,AA62-30181H,5Q1565RF,HE	S.N.A5	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4		0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A5	DZ016	0403-000700	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0086	1203-002512	IC-PWM CONTROLLER:KA5Q1565RF-YDTU,TO-3PF	S.N.A5	DZ016	0403-000700	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500
...	4	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A5	DZ016	0403-000716	DIODE-ZENER:MTZJ4.7B,4.7V,4.55-4.8V,500m
...	4		AA61-11028A	BRACKET:-,SECC,T1.0,-,-,-	S.N.A5	DZ016	0403-001330	DIODE-ZENER:MTZJ30A,26.99-28.39V,500mW,D
...	4		AA62-30197D	HEAT SINK-ES:DP,-,-,AA62-30181H,-,-,-	S.N.A5	DZ016	0403-001221	DIODE-ZENER:UZ39BSB,35.36-37.19V,500mW,D
...	3	IC301	AA96-50381A	ASSY H/S:-,-,AA62-30180B,LA7845,-	S.N.A5	DZ016	0403-001317	DIODE-ZENER:MTZJ3.0B,3.01-3.22V,500mW,DO
...	4		0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A5	DZ016	0403-001322	DIODE-ZENER:MTZJ8.2B,7.78-8.19V,500mW,DO
...	4	T0088	1204-000517	IC-VERTICAL DEF:LA7845,SIP,7P,-,PLASTIC	S.N.A5	DZ016	0403-001322	DIODE-ZENER:MTZJ8.2B,7.78-8.19V,500mW,DO
...	4	T0081	6003-000333	SCREW-TAPTITE:RH,+,2S,M3,L10,ZPC(YEL),SW	S.N.A5	DZ016	0403-001325	DIODE-ZENER:MTZJ15C,14.35-15.09V,500mW,D
...	4		AA62-30180B	HEAT SINK-ES:-,A6063 EXTR.,2,WHT,70MM,-	S.N.A5	DZ016	0403-001327	DIODE-ZENER:MTZJ18A,16.22-17.06V,500mW,D
...	3		AA97-14043B	ASSY ROBOT-MAIN:WS3224-M66VK55A,ALL,SEH	S.N.A5	DZ016	0403-001328	DIODE-ZENER:MTZJ24B,20.15-21.20V,500mW,D
△	4	PC801S	0604-001038	PHOTO-COUPLER:TR,130-260%,200mW,DIP,4,ST	S.N.A5	DZ016	0403-001328	DIODE-ZENER:MTZJ22A,20.15-21.20V,500mW,D
△	4	IC112	1103-001171	IC-EEPROM:L51DC,16KBit,DIP8P,300MIL,10m	S.N.A5	DZ016	0403-001329	DIODE-ZENER:MTZJ24B,22.61-23.77V,500mW,D
△	4	IC401	1202-000103	IC-VOLTAGE COMP:393,DIP8P,300MIL,DUAL,	S.N.A5	DZ016	0403-001329	DIODE-ZENER:MTZJ24B,22.61-23.77V,500mW,D
...	4	T0087	1203-001225	IC-POS.FIXED REG.:78R09,TO-220,4P,-,PLA	S.N.A5	DZ016	0403-001329	DIODE-ZENER:MTZJ24B,22.61-23.77V,500mW,D
...	4	IC601	1204-001971	IC-SOUND PROCESSOR:MSP3411G-P0-B11,DIP5	S.N.A5	DZ016	0403-001330	DIODE-ZENER:MTZJ30A,26.99-28.39V,500mW,D
...	4	P803T	1404-001026	THERMISTOR-PTC:70HM,20%,-,290VAC,25A,-,B	S.N.A5	C1Z	0404-000156	DIODE-SCHOTTKY:RB441Q,10V,100mA,DO-34,TP
△	4	NT802S	1404-001045	THERMISTOR-NTC:4.7ohm,15%,2900K,35.0mW,T	S.N.A5	C1Z	0404-000156	DIODE-SCHOTTKY:RB441Q,10V,100mA,DO-34,TP
...	4	C598	2201-000446	C-CERAMIC,DISC:3.3NF,20%,400V,Y5U,BK,15X	S.N.A5	C1Z	0404-000156	DIODE-SCHOTTKY:RB441Q,10V,100mA,DO-34,TP
...	4	C426	2306-001004	C-FILM,LEAD-PFF:300NF,5%,400V,BK,26X14X2	S.N.A5	T0156	0501-000369	TR-SMALL SIGNAL:KSC2331,NPN,100mW,TO-
...	4	C423	2306-000272	C-FILM,LEAD-PFF:820NF,5%,400V,BK,29X25.5	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
△	4	CR405S	2301-001343	C-FILM,LEAD-PFF:3.9NF,5%,2KV,BK,29X9.5X1	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
△	4	CR407S	2301-001398	C-FILM,LEAD-PFF:3.3NF,5%,2KV,BK,29X8.5X1	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
△	4	CR406S	2306-000326	C-FILM,LEAD-PFF:4.7NF,5%,1.6KV,BK,28.5X1	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
△	4	CX801S	2306-000318	C-FILM,LEAD-PFF:220NF,20%,250V,BK,-,22.5	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
...	4	C701	2401-002227	C-AL:330uF,20%,450V,GPBK,35x45,10	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
...	4	C701	2401-003024	C-AL:220uF,20%,200V,WT,TP,22x35,10	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
...	4	CN906	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGH	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
...	4	CN906	3711-003051	CONNECTOR-HEADER:BOX,8P,1R,2.5MM,STRAIGH	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
△	4	LR405S	AA27-00096A	COIL HORIZ. WIDTH:-,10.0mH,DR15 X 27.5,U	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
...	4	L808	AA27-00098A	COIL CHOKE:-,2uH,10%,-,0.1,3.0A,DR10X	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
△	4	LX801S	AA29-30002N	FILTER LINE NOISE:-,16MH,1.5A,AC100-260V	S.N.A5	T0156	0501-000389	TR-SMALL SIGNAL:KSC815,NPN,400mW,TO-92,T
△	4	TU01S	AA40-00079A	TUNER:TCPW3001PD16A(S),PAL,181CH,38.	S.N.A5	Q409	0505-000109	FET-SILICON:2N7000,N,60V,200mA,5ohm,400m
...	4		AA97-14027B	ASSY AUTO-MAIN:WS3224-M66VK55A,ALL,SEH,	S.N.A5	Q409	0505-000109	FET-SILICON:2N7000,N,60V,200mA,5ohm,400m
...	5	D603	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A5	IC012	1203-001217	IC-POS.ADJUST REG.:431,TO-92,3P,4.58MIL
...	5	D604	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A	△	VX801S	1405-000187	VARISTOR:750V,1250A,12.5x7mm,TP
△	5	D805	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A	△	VP801S	1405-000187	VARISTOR:750V,1250A,12.5x7mm,TP
...	5	DZ402	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A5	R303	2001-000016	R-CARBON(S):10OHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	D201	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A5	R801	2001-000019	R-CARBON(S):100OHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	D202	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A5	R317	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	D207	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A5	R636	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	D405	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A5	R637	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	D410	0401-000005	DIODE-SWITCHING:1N4148,100V,200mA,DO-35,	S.N.A5	R638	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	T0083	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	S.N.A5	R639	2001-000066	R-CARBON(S):10KOHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	T0083	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	S.N.A5	R810	2001-000109	R-CARBON(S):470OHM,5%,1/2W,AA,TP,2.4X6.4MM
...	5	T0083	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	S.N.A5	R125	2001-000241	R-CARBON:1.5KOHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	S.N.A5	R125	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000132	DIODE-RECTIFIER:1N4004,400V,1A,DO-41,TP	S.N.A5	R125	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000493	DIODE-RECTIFIER:1R5GU41,400V,1.5A,DO-15L	S.N.A5	R125	2001-000273	R-CARBON:100KOHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	S.N.A5	R125	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	S.N.A5	R125	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	S.N.A5	R125	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000534	DIODE-RECTIFIER:RG10V,400V,1.2A,DO-201,T	S.N.A5	R125	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM
...	5	T0083	0402-000540	DIODE-RECTIFIER:RU20A,600V,1.5A,-,TP	S.N.A5	R125	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP,1.8X3.2MM

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
.....5	C701	2401-002597	C-AL:220uF,20%,35V,GPTP,10x12.5,5	5	EY806	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	C701	2401-002597	C-AL:220uF,20%,35V,GPTP,10x12.5,5	5	EY805	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	C701	2401-002619	C-AL:47uF,20%,25V,GPTP5x11,5	5	EY804	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	C701	2401-002619	C-AL:47uF,20%,25V,GPTP5x11,5	5	EY817	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	C701	2401-003034	C-AL:220uF,20%,16V,WT,TP8x11.5,5	5	EY816	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	C701	2401-003034	C-AL:220uF,20%,16V,WT,TP8x11.5,5	5	EY815	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	C701	2401-003046	C-AL:47uF,20%,50V,WT,TP6.3x11.2,5	5	EY814	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	C701	2401-003578	C-AL:1000uF,20%,10V,GPTP,8x20mm,5	5	EY813	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L907	2701-000114	INDUCTOR-AXIAL:10uH,10%,2534	5	EY812	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L702	2701-000114	INDUCTOR-AXIAL:10uH,10%,2534	5	EY838	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L701	2701-000114	INDUCTOR-AXIAL:10uH,10%,2534	5	EY860	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L301	2701-000114	INDUCTOR-AXIAL:10uH,10%,2534	5	EY859	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L103	2701-000115	INDUCTOR-AXIAL:10uH,10%,3070	5	EY858	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L101	2701-000115	INDUCTOR-AXIAL:10uH,10%,3070	5	EY857	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L102	2701-000159	INDUCTOR-AXIAL:22uH,10%,4298	5	EY856	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L602	2701-000169	INDUCTOR-AXIAL:3.9uH,10%,2534	5	EY855	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L608	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY872	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L703	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY871	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L704	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY865	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L705	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY864	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L706	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY862	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L603	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY861	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L604	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY845	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L605	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY844	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L607	2701-000180	INDUCTOR-AXIAL:33uH,5%,2534	5	EY842	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L902	2701-000184	INDUCTOR-AXIAL:4.7uH,10%,2534	5	EY841	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L909	2701-000191	INDUCTOR-AXIAL:47uH,10%,2534	5	EY840	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L908	2701-000191	INDUCTOR-AXIAL:47uH,10%,2534	5	EY839	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L201	2701-000200	INDUCTOR-AXIAL:5.6uH,10%,4298	5	EY854	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L906	2701-000215	INDUCTOR-AXIAL:8.2uH,10%,2534	5	EY853	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L811	2701-001030	INDUCTOR-AXIAL:43uH,10%,4514	5	EY851	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L403	2701-001040	INDUCTOR-AXIAL:10uH,10%,4514	5	EY850	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L904	2702-001094	INDUCTOR-RADIAL:10uH,10%,4x6mm	5	EY848	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L903	2702-001094	INDUCTOR-RADIAL:10uH,10%,4x6mm	5	EY846	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L601	2702-001094	INDUCTOR-RADIAL:10uH,10%,4x6mm	5	EY419	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L901	2702-001094	INDUCTOR-RADIAL:10uH,10%,4x6mm	5	EY418	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	5	EY417	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	5	EY415	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	5	EY414	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	5	EY413	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	5	EY425	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000297	FILTER-EMI ON BOARD:-,3A,-,3.5x5,TP-	5	EY424	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000299	FILTER-EMI ON BOARD:-,6A,U/L/CSA,-,9x7.5,	5	EY423	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000299	FILTER-EMI ON BOARD:-,6A,U/L/CSA,-,9x7.5,	5	EY422	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F101	2901-000299	FILTER-EMI ON BOARD:-,6A,U/L/CSA,-,9x7.5,	5	EY421	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L809	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	5	EY420	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L805	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	5	EY406	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L404	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	5	EY405	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L610	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	5	EY404	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L614	3301-000287	BEAD-AXIAL:3.5x1.0x6.0mm,1500,2400G	5	EY403	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L806	3301-001223	BEAD-AXIAL-AA,62ohm,3.5x0.8x5mm,-,TPHF3	5	EY303	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L803	3301-001223	BEAD-AXIAL-AA,62ohm,3.5x0.8x5mm,-,TPHF3	5	EY302	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L802	3301-001223	BEAD-AXIAL-AA,62ohm,3.5x0.8x5mm,-,TPHF3	5	EY412	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L801	3301-001223	BEAD-AXIAL-AA,62ohm,3.5x0.8x5mm,-,TPHF3	5	EY411	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	L616	3301-001223	BEAD-AXIAL-AA,62ohm,3.5x0.8x5mm,-,TPHF3	5	EY410	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	FA801S	3601-000120	FUSE-AXIAL LEAD:125V,2.5A,FAST-ACTING,GL	5	EY409	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	FA802S	3601-001086	FUSE-AXIAL LEAD:125V,5A,FAST-ACTING,GLAS	5	EY408	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	FA803S	3601-001228	FUSE-AXIAL LEAD:125V,10A,FAST-ACTING,EPO	5	EY407	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F801A	3602-000114	FUSE-HOLDER:-,30mohm	5	EY426	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	F801B	3602-000114	FUSE-HOLDER:-,30mohm	5	EY703	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	CN906	3711-002644	CONNECTOR-HEADER:BOX,5P,1R,2.5mm,STRAIGH	5	EY702	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	CN906	3711-002644	CONNECTOR-HEADER:BOX,5P,1R,2.5mm,STRAIGH	5	EY701	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY830	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY604	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY829	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY603	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY828	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY447	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY825	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY803	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY824	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY802	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY820	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY801	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY837	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY706	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY836	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY705	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY835	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY704	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY833	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY434	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY832	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY433	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY831	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY432	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY811	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY431	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY810	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY430	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A
.....5	EY809	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A5	EY429	6042-000002	EYELETID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
....5	EY446	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...3	CN906	3711-003974	CONNECTOR-HEADER:BOX,12P1R,2.5mm,STRAIG	
....5	EY441	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...3	SC01	3722-001503	JACK-PIN;1P,1PI,NI,RED,SCR-JACK	
....5	EY439	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...3	T0245	AA39-00088A	LEAD CONNECTOR-ASSY:HERCULES,UL1007/1185	
....5	EY435	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...3	T0245	AA39-00127A	LEAD CONNECTOR-ASSY;8P,400MM,35155-0800	
....5	EY436	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...3	T0245	AA39-20010B	LEAD CONNECTOR-ASSY;1P,500,YFH800-01,S,	
....5	EY437	6042-000002	EYELET:ID1.5,OD2,L2.8,NI+SN,BSP3-1/2H	S.N.A	...3	QF10	AA96-00243L	ASSY H/S;-CRT,AA62-000450A,2SC2344,HER	S.N.A
....5	EL408	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4		0205-000129	GREASE-SILICON;SC102,JAPAN	S.N.A
....5	EL801	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4	T0090	0502-000153	TR-POWER:2SC2344-D,NPN,1.2W,TO-220,-.60	
....5	EL802	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4	T0081	6003-000334	SCREW-TAPTITE:RH,+.2S,M3,L6,ZPC(YEL),SWR	
....5	EL805	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4		AA62-00065A	HEAT SINK-PS;DP,-,-,AA62-00045A,-,-,-,	S.N.A
....5	EL806	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...3	QF09	AA96-00243M	ASSY H/S;-AMP,AA62-000450A,2SA1011,HER	S.N.A
....5	EL807	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4		0205-000129	GREASE-SILICON;SC102,JAPAN	S.N.A
....5	EL808	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4	T0090	0502-000131	TR-POWER:2SA1011-D,PNP,1.2W,TO-220,-.60	
....5	EL407	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4	T0081	6003-000334	SCREW-TAPTITE:RH,+.2S,M3,L6,ZPC(YEL),SWR	
....5	EL201	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4		AA62-00065A	HEAT SINK-PS;DP,-,-,AA62-00045A,-,-,-,	S.N.A
....5	EL202	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...3	IC501	AA96-50311L	ASSY H/S;-AMP,AA62-30175D ,TDA6111Q,H	S.N.A
....5	EL203	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...3	IC502	AA96-50311L	ASSY H/S;-AMP,AA62-30175D ,TDA6111Q,H	S.N.A
....5	EL204	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...3	IC503	AA96-50311L	ASSY H/S;-AMP,AA62-30175D ,TDA6111Q,H	S.N.A
....5	EL403	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4	T0074	1201-001131	IC-VIDEO AMP:6111,SIP9P,-SINGLE,-PLAS	
....5	EL402	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4	T0081	6003-000334	SCREW-TAPTITE:RH,+.2S,M3,L6,ZPC(YEL),SWR	
....5	EL401	6042-000001	EYELET:ID2.2,OD2.7,L3.1,NI+SN,BSP3-1/2H	S.N.A	...4		AA62-30175D	HEAT SINK-PS;-SECC,T1.0,-.33X15X30 FT-2	S.N.A
....5	GT801	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...3		AA97-13361B	ASSY AUTO-CRT;32Z7,S57A	S.N.A
....5	GT412	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	DF06	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
....5	GT411	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	DF05	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
....5	GT410	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	DF02	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
....5	GT802	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	DF01	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
....5	GT803	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	D501	0401-000005	DIODE-SWITCHING;1N4148,100V,200mA,DO-35,	
....5	GT804	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	GT805	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	GT806	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	GT102	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	GT404	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	GT405	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	GT406	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	GT409	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	PCB	AA41-00707D	PCB-MAIN:CS2926HPRF,1,1L,D,1.6T,330X24	S.N.A	...4	T0083	0402-000546	DIODE-RECTIFIER;TVR10G,400V,1.0A,DO-41,T	
....5	C701	2401-002009	C-AL;100uF,20%,16V,GP,TP;6.3x7.5		...4	DZ016	0403-000508	DIODE-ZENER;MTZJ5.6B,5.6V,5.45-5.73V,500	
....5	R305	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP;3.9X		...4	DZ016	0403-000698	DIODE-ZENER;TZP12A,12V,11.4-12.6V,1W,DO-	
....5	R306	2003-002205	R-METAL OXIDE(S);330ohm,5%,2W,AG,TP;3.9X		...4	DZ016	0403-000708	DIODE-ZENER;MTZJ13B,13V,12.55-13.21V,500	
△	FP801S	3601-000297	FUSE-CARTRIDGE;250V,5A,TIME-LAG,GLASS,5,		...4	DZ016	0403-000708	DIODE-ZENER;MTZJ13B,13V,12.55-13.21V,500	
....5	R307	2008-001114	R-FUSIBLE(S);1.5ohm,5%,2W,AG,TP;3.9x12mm		...4	DZ016	0403-000734	DIODE-ZENER;TZP15B,15V,14.7-16.5V,1W,DO-	
....5	C907	2305-000412	C-FILM,LEAD-PFF;SPACE		...4	DZ016	0403-001039	DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T	
....5	C598	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,COG,TP;5X3MM		...4	DZ016	0403-001039	DIODE-ZENER;MA2560,56V,52-60V,1W,DO-41,T	
....5	C598	2201-000980	C-CERAMIC,DISC;0.03NF,5%,50V,COG,TP;5X3MM		...4	T0156	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
....5	CW901	2503-000156	C-NETWORK;100pF,4.20%,50V		...4	T0156	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
....5	IC904	1203-0001943	IC-VOL DETECTOR;7025,TO-92,3P,-,PLASTIC		...4	T0156	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
....5	R125	2001-000995	R-CARBON;820OHM,5%,1/8W,AA,TP;1.8X3.2MM		...4	T0156	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
....5	X901	2801-003728	CRYSTAL-UNIT;6MHz,30ppm,28-AAM,20pF,40oh		...4	T0156	0501-000283	TR-SMALL SIGNAL;KSA539,PNP,400mW,TO-92,T	
....5	C701	2401-002075	C-AL;4.7uF,20%,50V,GP,TP;5x11.5		...4	T0156	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
....5	R418	2001-001159	R-CARBON(S);510OHM,5%,1/2W,AA,TP;2.4X6.4		...4	T0156	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
....5	R411	2001-001159	R-CARBON(S);510OHM,5%,1/2W,AA,TP;2.4X6.4		...4	T0156	0501-000389	TR-SMALL SIGNAL;KSC815,NPN,400mW,TO-92,T	
....5	R415	2001-001099	R-CARBON(S);2.7KOHM,5%,1/2W,AA,TP;2.4X6.4		...4	RF17	2001-000019	R-CARBON(S);100OHM,5%,1/2W,AA,TP;2.4X6.4M	
....5	IC063	AA13-00094A	IC HYBRID;-DDR1001A,SIP5P,-TP		...4	R560	2001-000052	R-CARBON(S);3.3KOHM,5%,1/2W,AA,TP;2.4X6.4	
....5	C689	2202-000719	C-CERAMIC,MLC-AXIAL;6.8nF,20%,16V,Y5R,TP		...4	R125	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	T0087	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL		...4	R125	2001-000221	R-CARBON;1.2KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	T0087	1203-001944	IC-POSI.FIXED REG.;78RM33,TO-220,3P,-,PL		...4	R125	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	T0087	1203-000243	IC-POSI.FIXED REG.;7812A,TO-220,3P,-,PLA		...4	R125	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	Q409	0505-001723	FET-SILICON;FOP630TSTU,N,200V,9A,0.40HM,		...4	R125	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	Q804	BH99-000075	ASSY HEAT/SINK;KSC2073,MICOM,HERCULES,BH	S.N.A	...4	R125	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	CIS	0205-000129	GREASE-SILICON;SC102,JAPAN	S.N.A	...4	R125	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	T0090	0502-001007	TR-POWER;KSC2073-H2,NPN,25W,TO-220,ST,6		...4	R125	2001-000241	R-CARBON;1.5KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	M0144	BH61-00004A	SPRING ETC-TR:CDA,CDB,SUS304,-,-,-,-,T	S.N.A	...4	R125	2001-000258	R-CARBON;1.8KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...4	CIS	BH62-00007A	HEAT SINK-TR;-T1.0,L20*H30,CDA	S.N.A	...4	R125	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...3	T0119	AA09-00041A	IC MICOM;SDA555X-OTP;3.3V,-,128K,SDIP,-	S.N.A	...4	R125	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...3	C701	2401-000192	C-AL;1000uF,20%,50V,GP,TP;16x25,7.5		...4	R125	2001-000273	R-CARBON;100KOHM,5%,1/8W,AA,TP;1.8X3.2M	
...3	C701	2401-000192	C-AL;1000uF,20%,50V,GP,TP;16x25,7.5		...4	R125	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3	C701	2401-002216	C-AL;2200uF,20%,35V,GP,TP;16x25,7.5		...4	R125	2001-000290	R-CARBON;10KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3	X601	2801-004020	CRYSTAL-UNIT;18.432MHz,30ppm,28-AAM,12pF		...4	R125	2001-000331	R-CARBON;12KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3	CN301	AA60-40012D	PIN-GT,ASSY;T1.6,6-12.5,-,NYLON66	S.N.A	...4	R125	2001-000356	R-CARBON;150KOHM,5%,1/8W,AA,TP;1.8X3.2M	
..2	T0099	AA94-12051A	ASSY PCB MISC-CRT;32Z6,K55A		...4	R125	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3		0202-000176	SOLDER-WIRE FLUX;-RS60S,D1,2.63SN/37Pb	S.N.A	...4	R125	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3	R529	2008-001076	R-FUSIBLE(S);1.8ohm,5%,2W,AF,TP;9x10mm		...4	R125	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3	C598	2201-002117	C-CERAMIC,DISC;4.7nF,20%,3kV,Y5U,TP;16x6		...4	R125	2001-000429	R-CARBON;1KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3	C523	2306-000272	C-FILM,LEAD-PFF;820NF,5%,400V,BK,29X25.5		...4	R125	2001-000472	R-CARBON;2.7KOHM,5%,1/8W,AA,TP;1.8X3.2M	
△	V999S	3704-001032	SOCKET-CRT;8P;29PI,35.5PI,AU30U		...4	R125	2001-000539	R-CARBON;24KOHM,5%,1/8W,AA,TP;1.8X3.2MM	
...3	CN906	3711-003051	CONNECTOR-HEADER:BOX,8P,1R,2.5MM,STRAIGH		...4	R125	2001-000554	R-CARBON;270KOHM,5%,1/8W,AA,TP;1.8X3.2MM	

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark	
...	4	R125	2001-000563	R-CARBON:27KOHM,5%,1/8W,AA,TP1.8X3.2MM	...	4	F101	2901-000297	FILTER-EMI ON BOARD;-3A,-,3.5x5,TP-	
...	4	R125	2001-000890	R-CARBON:6.8KOHM,5%,1/8W,AA,TP1.8X3.2M	...	4	PCB	AA41-00578D	PCB-CRT-CT-2927HR,FR-1,1L,D,1.6T,330X2	S.N.A
...	4	R125	2001-000995	R-CARBON:820OHM,5%,1/8W,AA,TP1.8X3.2MM	...	4	EL94	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R566	2001-001040	R-CARBON(S):0.68OHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL92	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R505	2001-001045	R-CARBON(S):1.2KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL89	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R504	2001-001045	R-CARBON(S):1.2KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL88	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	RF33	2001-001053	R-CARBON(S):1.5OHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL95	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	RF29	2001-001071	R-CARBON(S):1.2KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL96	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R565	2001-001071	R-CARBON(S):1.2KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL97	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	RF19	2001-001079	R-CARBON(S):15OHM,5%,1/2W,AA,TP2.4X6.4M	...	4	EL98	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	RF18	2001-001079	R-CARBON(S):15OHM,5%,1/2W,AA,TP2.4X6.4M	...	4	EL99	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R503	2001-001088	R-CARBON(S):1KOHM,5%,1/2W,AA,TP2.4X6.4M	...	4	EL100	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R518	2001-001095	R-CARBON(S):2.2MOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL80	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	RF34	2001-001100	R-CARBON(S):2.7OHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL81	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R561	2001-001126	R-CARBON(S):300OHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL82	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R516	2001-001153	R-CARBON(S):47OHM,5%,1/2W,AA,TP2.4X6.4M	...	4	EL83	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	RF27	2001-001179	R-CARBON(S):68KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL87	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	RF26	2001-001179	R-CARBON(S):68KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL86	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R511	2001-001194	R-CARBON(S):82KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL85	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R510	2001-001194	R-CARBON(S):82KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL84	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R506	2001-001194	R-CARBON(S):82KOHM,5%,1/2W,AA,TP2.4X6.4	...	4	EL90	6042-000001	EYELETID2.2,OD2.7,L3.1,NH+SN,BSP3-1/2H	S.N.A
...	4	R525	2002-001006	R-COMPOSITION:4.7KOHM,15%,1/2W,AA,TP3.7	...	4	GT504	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A
...	4	R515	2002-001017	R-COMPOSITION:1Kohm,10%,1/2W,AA,TP3.7x9	...	4	GT503	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A
...	4	R514	2002-001017	R-COMPOSITION:1Kohm,10%,1/2W,AA,TP3.7x9	...	4	GT502	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A
...	4	R513	2002-001017	R-COMPOSITION:1Kohm,10%,1/2W,AA,TP3.7x9	...	4	GT501	AA60-40014A	PIN-GT,ASSY:AUTO	S.N.A
...	4	R528	2003-000458	R-METAL OXIDE(S):100ohm,5%,2W,AF,TP4x12	...	4	SC01	6042-000002	EYELETID1.5,OD2.7,L2.8,NH+SN,BSP3-1/2H	S.N.A
...	4	RF36	2003-000652	R-METAL OXIDE(S):330ohm,5%,2W,AF,TP4x12	...	3	IC504	BH99-00038E	ASSY HEAT/SINK:TDA2030,AMPH,HERCULES,BH62	S.N.A
...	4	RF35	2003-000746	R-METAL OXIDE(S):56ohm,5%,2W,AF,TP4x12m	...	4	CIS	0205-000129	GREASE-SILICON:SC102,JAPAN	S.N.A
...	4	RF32	2003-000746	R-METAL OXIDE(S):56ohm,5%,2W,AF,TP4x12m	...	4	DU410	1201-000010	IC-OP AMP:2030,PENTAWATT,5P,-,SINGLE,-,C	S.N.A
...	4	RF24	2003-001018	R-METAL OXIDE(S):220ohm,5%,2W,AF,TP3.9x	...	4	M0144	BH61-00004A	SPRING ETC-TR:CDA,CDB,SUS304,-,-,-,-,-,T	S.N.A
...	4	RF16	2003-002276	R-METAL OXIDE(S):2.2KOHM,5%,2W,AG,TP12X	...	4	CIS	BH62-00041A	HEAT SINK-TR:PN17LTA1050S,T1.0,50,23,-	S.N.A
...	4	RF15	2003-002276	R-METAL OXIDE(S):2.2KOHM,5%,2W,AG,TP12X	...	3	CN906	3711-002642	CONNECTOR-HEADER:BOX,3P,1R,2.5mm,STRAIGH	S.N.A
...	4	RF14	2003-002276	R-METAL OXIDE(S):2.2KOHM,5%,2W,AG,TP12X	...	3	CN906	3711-002643	CONNECTOR-HEADER:BOX,4P,1R,2.5mm,STRAIGH	S.N.A
...	4	R024	2004-001369	R-METAL(S):1.2Kohm,1%,1/2W,AA,TP2.4x6.4	...	2	T0098	AA94-13021B	ASSY PCB MISC-CONTROL:WS32-28Z46,ALL,SEH	S.N.A
...	4	R509	2008-001047	R-FUSIBLE(S):68ohm,5%,2W,AF,TP3.9x10mm	...	3	T0081	6003-000333	SCREW-TAPTITE,RH,+2S,M3,L10,ZPC(YEL),SW	S.N.A
...	4	RF13	2008-001053	R-FUSIBLE:22ohm,5%,1/2W,AF,TP2.5x6.5mm	...	3	T0245	AA39-20005E	LEAD CONNECTOR-ASSY:WS32Z46/VL1007#26,U	S.N.A
...	4	R541	2008-001053	R-FUSIBLE:22ohm,5%,1/2W,AF,TP2.5x6.5mm	...	3	T0022	AA64-03781A	KNOB CONTROL:Z4,HIPS,HB,SV,012P	S.N.A
...	4	C598	2201-000192	C-CERAMIC,DISC:0.01NF,0.25PF,500V,COG,TP	...	3		AA97-14039A	ASSY AUTO-CONTROL:WS32-28Z46,K55A,ALL,SE	S.N.A
...	4	C598	2201-000192	C-CERAMIC,DISC:0.01NF,0.25PF,500V,COG,TP	...	4	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	S.N.A
...	4	C598	2201-000193	C-CERAMIC,DISC:0.01NF,0.25PF,50V,COG,TP	...	4	DZ016	0403-000508	DIODE-ZENER:MTZJ5.6B,5.6V,5.45-5.73V,500	S.N.A
...	4	C598	2201-000291	C-CERAMIC,DISC:1NF,10%,500V,Y5P,TP7.5X3	...	4	R125	2001-000007	R-CARBON:3KOHM,5%,1/8W,AA,TP1.8X3.2MM	S.N.A
...	4	C598	2201-000291	C-CERAMIC,DISC:1NF,10%,500V,Y5P,TP5X3.5M	...	4	R125	2001-000009	R-CARBON:2KOHM,5%,1/8W,AA,TP1.8X3.2MM	S.N.A
...	4	C598	2201-000516	C-CERAMIC,DISC:4.7NF,+100-0%,500V,Y5U,TP	...	4	R125	2001-000281	R-CARBON:100OHM,5%,1/8W,AA,TP1.8X3.2MM	S.N.A
...	4	C598	2201-000599	C-CERAMIC,DISC:0.56NF,10%,500V,Y5P,TP5	...	4	R125	2001-000577	R-CARBON:2KOHM,5%,1/8W,AA,TP1.8X3.2MM	S.N.A
...	4	C598	2201-000599	C-CERAMIC,DISC:0.56NF,10%,500V,Y5P,TP5	...	4	R125	2001-000878	R-CARBON:6.2KOHM,5%,1/8W,AA,TP1.8X3.2M	S.N.A
...	4	C598	2201-000599	C-CERAMIC,DISC:0.56NF,10%,500V,Y5P,TP5	...	4	LY01	2701-000136	INDUCTOR-AXIAL:18uH,10%,2534	S.N.A
...	4	C598	2201-000604	C-CERAMIC,DISC:0.056NF,+100-0%,500V,SL,T	...	4	LY02	2701-000136	INDUCTOR-AXIAL:18uH,10%,2534	S.N.A
...	4	C509	2301-000016	C-FILM,LEAD-PEF:SPACE	...	4	SWY01	3404-000282	SWITCH-TACT:12Vdc,50mA,120gf,6x6x5mm,SPS	S.N.A
...	4	C507	2301-000016	C-FILM,LEAD-PEF:SPACE	...	4	SWY02	3404-000282	SWITCH-TACT:12Vdc,50mA,120gf,6x6x5mm,SPS	S.N.A
...	4	C506	2301-000016	C-FILM,LEAD-PEF:SPACE	...	4	SWY03	3404-000282	SWITCH-TACT:12Vdc,50mA,120gf,6x6x5mm,SPS	S.N.A
...	4	C505	2301-000016	C-FILM,LEAD-PEF:SPACE	...	4	SWY04	3404-000282	SWITCH-TACT:12Vdc,50mA,120gf,6x6x5mm,SPS	S.N.A
...	4	C504	2301-000016	C-FILM,LEAD-PEF:SPACE	...	4	SWY05	3404-000282	SWITCH-TACT:12Vdc,50mA,120gf,6x6x5mm,SPS	S.N.A
...	4	CF05	2301-000261	C-FILM,LEAD-PEF:SPACE	...	4	SWY06	3404-000282	SWITCH-TACT:12Vdc,50mA,120gf,6x6x5mm,SPS	S.N.A
...	4	C526	2301-001211	C-FILM,LEAD-PPF:22nf,5%,400V,TP20x7x14,	...	4	PCB	AA41-00522A	PCB-CONTROL:CS32Z4,FR-1,1L,A,1.6T,245X24	S.N.A
...	4	C512	2301-001211	C-FILM,LEAD-PPF:22nf,5%,400V,TP20x7x14,	...	2	T0130	AA96-00908J	ASSY COVER P-TERMINAL BOARD:32Z4,HIPS VO	S.N.A
...	4	C511	2301-001211	C-FILM,LEAD-PPF:22nf,5%,400V,TP20x7x14,	...	3		AA64-02823B	INLAY-T/BOARD:Z7,PS SHEET,TO.5,GUJU	S.N.A
...	4	C508	2301-001211	C-FILM,LEAD-PPF:22nf,5%,400V,TP20x7x14,	...	3		AA65-00025A	TERMINAL-BOARD,ANT:HIPS VO,BLK	S.N.A
...	4	C533	2305-000665	C-FILM,LEAD-PEF:SPACE	...	2	T0066	AA96-01127C	ASSY POWER CORD:DPAA39-10001M,CP2,H/C50	S.N.A
...	4	C701	2401-000045	C-AL:10uF,20%,16V,GP,TP10x16,5	...	3	T0077	AA39-10001M	CBF POWER CORD:-KJP-140,KLCE-2F,2.4m,HO	S.N.A
...	4	C701	2401-000360	C-AL:100uF,20%,50V,GP,TP8x11.5,5	...	3		AA61-20284A	HOLDER-P-CORD,PP,-,-,BLK,VO,KE-002	S.N.A
...	4	C701	2401-000703	C-AL:220uF,20%,25V,GP,-,12.5x25mm,	...	2	T0245	AA61-01342A	HOLDER-PCB:32A10,PS	S.N.A
...	4	C701	2401-000832	C-AL:220uF,20%,25V,GP,TP8x11.5,5	...	2	T0081	6003-001019	SCREW-TAPTITE,RH,+B,M4,L12,ZPC(BLK),SWR	S.N.A
...	4	C701	2401-000832	C-AL:220uF,20%,25V,GP,TP8x11.5,5	...					
...	4	C701	2401-000913	C-AL:22uF,20%,16V,GP,TP5x11,5	...					
...	4	C701	2401-000927	C-AL:22uF,20%,250V,GP,TP13x20,5	...					
...	4	C701	2401-001563	C-AL:47uF,20%,400V,GP,TP16x25,7,5	...					
...	4	C701	2401-000025	C-AL:100uF,20%,16V,GP,TP6.3x11,5	...	1	M0002	AA90-04846A	ASSY COVER REAR:32Z4,K55A	S.N.A
...	4	C701	2401-002264	C-AL:10uF,20%,350V,GP,TP10x20mm,5m	...					
...	4	LF03	2701-000112	INDUCTOR-AXIAL:100uH,10%,3070	...	2		AA65-30008A	CLAMPER CORE-CORD:-PE,HB,-,BLK,-	S.N.A
...	4	L502	2701-000178	INDUCTOR-AXIAL:33uH,10%,3070	...	2		AA65-30009A	CLAMPER CORE-FBT:-ABS,VO,-,BLK,-	S.N.A
...	4	F101	2901-000297	FILTER-EMI ON BOARD;-3A,-,3.5x5,TP-	...	2		AA64-00894G	INLAY-BACK:D3,PS SHEET,TO.3,-,BLK,SCAR	S.N.A
...	4	F101	2901-000297	FILTER-EMI ON BOARD;-3A,-,3.5x5,TP-	...	2	T0015	HA64-02525B	CABINET BACK:32Z4,VL-1823,GRY	S.N.A
...	4	F101	2901-000297	FILTER-EMI ON BOARD;-3A,-,3.5x5,TP-	...	3		AA81-00096A	RESIN-A:VL-1823,G5433A	S.N.A
...	4	F101	2901-000297	FILTER-EMI ON BOARD;-3A,-,3.5x5,TP-	...					
...	4	F101	2901-000297	FILTER-EMI ON BOARD;-3A,-,3.5x5,TP-	...					

ASSY COVER REAR

Electrical Parts List

Level	Loc. No.	Code No.	Description ; Specification	Remark	Level	Loc. No.	Code No.	Description ; Specification	Remark
ASSY COVER FRONT									
1	M0001	AA90-04813A	ASSY COVER FRONT:32Z4H,D,KS3A	S.N.A					
..2	T0081	6003-001025	SCREW-TAPTITE:RH,+,B,M4,L20,ZPC(BLK),SWR		△	..2	T0063	AA03-00348A	CRT COLOR:W76ERF042X044,+400MG,0.32MH,7.
..2	SC016	AA60-10050V	SCREW-ASSY;-SWRCH18A,M6,L30,HH,+,WC,-,Z		..2	T0089	AA27-00149A	COIL DEGAUSSING;,15.0MH,70T,90HM,32INCH,	
..2		AA65-30110A	CLAMPER CORE-WIRE:ALL MODEL,NYLON 66,V2,	S.N.A	..2	T0245	AA39-20519A	LEAD CONNECTOR-ASSY;,6(4)P;500MM,YFH806-	
..2	qms	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	S.N.A	..2		AA98-00026A	ASSY TBC WIRE(P);DP:32INCH,AA98-70012C,2	
..2	rating	HA83-00052A	LP-TAPE-INK;,WIDTH 55 MM	S.N.A	..2		AA65-30007A	CLAMPER CORE-D,COIL;-NYLON-66,VO,-,NTR,	
..2		AA65-30105A	CLAMPER CORE-WIRE:ALL MODEL,NYLON 66,V2,	S.N.A				S.N.A	
..2	T0081	6002-000515	SCREW-TAPPING:RH,+,2,M4,L15,ZPC(WHT),SWR					S.N.A	
..2	T0081	6002-000515	SCREW-TAPPING:RH,+,2,M4,L15,ZPC(WHT),SWR					S.N.A	
..2	T0081	6002-000515	SCREW-TAPPING:RH,+,2,M4,L15,ZPC(WHT),SWR					S.N.A	
..2	SC016	AA60-10050A	SCREW-ASSY;-SWRCH18A,M4,L25,RH,+,WP,-,Z	S.N.A				S.N.A	
..2	T0081	6003-001024	SCREW-TAPTITE:RWH,+,B,M4,L12,ZPC(YEL),SW					S.N.A	
..2		AA65-30007A	CLAMPER CORE-D,COIL;-NYLON-66,VO,-,NTR,	S.N.A				S.N.A	
..2	T0081	6003-001135	SCREW-TAPTITE:TH,+,B,M4,L15,BLK,SWRCH18A	S.N.A				S.N.A	
..2	T0245	AA39-00191A	LEAD CONNECTOR-ASSY;,4P;1100/500MM,35155					S.N.A	
..2		AA63-10002A	BAND-TIE:NYLON66 V2,L100,NTR	S.N.A				S.N.A	
..2	T0003	AA96-01796B	ASSY C P-FRONT:32Z4H,D,HIPS HB,SV-01					S.N.A	
..3	T0081	6003-001019	SCREW-TAPTITE:RH,+,B,M4,L12,ZPC(BLK),SWR					S.N.A	
..3	T0081	6003-001019	SCREW-TAPTITE:RH,+,B,M4,L12,ZPC(BLK),SWR					S.N.A	
..3	T0061	AA64-03784A	WINDOW-REMOCON;Z4,PC,VIOLET	S.N.A				S.N.A	
..3	CIS3	AA64-03777B	CABINET FRONT:32Z4H,D,HIPS,HB,SV012P	S.N.A				S.N.A	
....4		HA83-00040B	LP-MARKING PAINT;,METALLIC SILVER,SV-012	S.N.A				S.N.A	
....4		HA83-00006A	LP-RESIN HIPS;,BASF495F,NTR,HB	S.N.A				S.N.A	
....4		HA83-00012A	LP-RESIN;,M BATCH,WILSON 6053-GY-60,GRY	S.N.A				S.N.A	
....4		AA81-00106A	A/S-MARKING PAINT;,P432U,DARK GREY,TPC	S.N.A				S.N.A	
..3	T0023	AA64-03782A	KNOB POWER;Z4,HIPS,HB	S.N.A				S.N.A	
..3	T0059	AA64-03783A	INDICATOR LED;Z4,CLR	S.N.A				S.N.A	
..3	T0057	AA64-01062A	BADGE-BRAND:32W8,AL FORGING;-,-,L65,-,SI	S.N.A				S.N.A	
..3		HA83-00049A	LP-ADHESIVE-HM;12MM,NTR	S.N.A				S.N.A	
..3	CIS7	AA61-60003J	SPRING ETC-CS;-SUS304;-,-,OD6,N7,OD6,-,	S.N.A				S.N.A	
..3		AA65-30105A	CLAMPER CORE-WIRE:ALL MODEL,NYLON 66,V2,	S.N.A				S.N.A	
..2	T0070	AA61-00071B	HOLDER-CHASSIS;V2,SEH	S.N.A				S.N.A	
ASSY PACKING									
1		AA90-01154A	ASSY PACKING:32Z4	S.N.A					
..2		HA69-01540A	CUSHION-SET;32Z4						
..3		HA83-00058A	LP-RESIN-EPS;,CHEIL SF-301V,WHT	S.N.A				S.N.A	
..2		AA69-00744F	BAG-SHEET;-HDPE PE FOAM,TO.015,W1400,H1	S.N.A				S.N.A	
..2		AA60-40006A	PIN-STAPLE;AUTO,33X17.8X2.4,H18,33X17.8X	S.N.A				S.N.A	
..2		HA83-00057A	LP-TAPE-CELLULOSE;,HA02-030011,TO.046,W7	S.N.A				S.N.A	
..2		HA83-00046A	LP-TAPE INK;,WIDTH 105 MM	S.N.A				S.N.A	
ASSY ACCESSORY									
1	M0016	AA92-08050C	ASSY ACCESSORY:SPIDERMAN,XEC,D,K55A	S.N.A					
..2		HA68-00336B	CARD-WARRANTY;A/P100(G),A5,NEW VERSION,I	S.N.A				S.N.A	
..2	T0074	AA59-00116B	REMOCON;-TM57,37,D3/D4,L/GRAY,S/S,GRA					S.N.A	
..2		HA68-02124A	LABEL;A/P120(G),70,69,WHITE,XECCO					S.N.A	
..2		HA83-00047A	LP-TAPEACETATE;TO.1MM,W20MM,L200MM	S.N.A				S.N.A	
ASSY HOLDER SPK									
1	T0010	AA91-00821A	ASSY HOLDER SPK;-,-,15W, 80HM,-,EUROPE F						
LEAD CONNECTOR-ASSY									
1	T0245	AA39-00191A	LEAD CONNECTOR-ASSY;,4P;1100/500MM,35155						
ASSY CPT									
1		AA91-05676A	ASSY CPT;WS32Z68PSGXEC	S.N.A					