
livraison
Operateur_idOperateur INT(11)
Recharge_idRecharge INT(11)
qteLivraison INT(11)
dtLivraison DATE
Indexes
PRIMARY
fk_Operateur_has_Recharge_Recharge1
fk_Operateur_has_Recharge_Operateur1
Triggers
AFT UPDATE UPDATE_LIVRAISON
AFT INSERT INSERT_LIVRAISON
BEF DELETE DELETE_LIVRAISON
commande
idCommande INT(11)
dtCommande DATE
client_idClient INT(11)
Indexes
PRIMARY
fk_commande_client1
recharge
idRecharge INT(11)
libelRecharge VARCHAR(45)
prixRecharge FLOAT
stockRecharge INT(11)
Indexes
PRIMARY
operateur
idOperateur INT(11)
libelleOperateur VARCHAR(45)
adresseOperateur VARCHAR(45)
Indexes
PRIMARY
client
idClient INT(11)
nomClient VARCHAR(45)
prenomClient VARCHAR(45)
sexeClient VARCHAR(45)
telClient VARCHAR(45)
adresseClient VARCHAR(45)
Indexes
PRIMARY
lignecommande
Commande_idCommande INT(11)
Commande_Client_idClient INT(11)
Recharge_idRecharge INT(11)
qteCommande INT(11)
Indexes
PRIMARY
fk_Commande_has_Recharge_Recharge1
fk_Commande_has_Recharge_Commande1
Triggers
AFT UPDATE UPDATE_LIGCOMMANDE
AFT INSERT INSERT_LIGCOMMANDE
BEF DELETE DELETE_LIGCOMMANDE